

ON SOME SYSTEMS OF DIFFERENCE EQUATIONS. Part 5.

L.A.Gutnik

*Dedicated to the memory of
Professor N.M.Korobov.*

Table of contents

§5.0. Foreword.

§5.1. The matrix $W_1^\sim(z; \nu)$ and test

$$-\nu^{6+4l} E_{4+2l} = A_l^*(z; \nu) A_l^*(z; -\nu)$$

in the case $l = 1$.

§5.2. Corrections in the previous parts of this paper.

§2.0. Foreword.

Acknowledgments. I express my deepest thanks to Professors B.Z.Moroz, I.I. Piatetski-Shapiro, A.G.Aleksandrov, P.Bundshuh and S.G.Gindikin for help and support.

§5.1. The matrix $W_1^\sim(z; \nu)$ and test

$$-\nu^{6+4l} E_{4+2l} = A_l^*(z; \nu) A_l^*(z; -\nu)$$

in the case $l = 1$.

In view of (10) of the Part 4 and results of the part 3,

$$V_1^\sim(0, \nu) = \nu^{-5} 102 \begin{pmatrix} 0 & 0 & 0 & -\nu^3 & -2\nu^4 & -\nu^5 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix} =$$

$$\sum_{s=0}^{10} \nu^{-s} V_1^{\sim\nu}(0, s),$$

where

$$V_1^{\sim\vee}(0, 0) = -102e_{6,1,6},$$

$$V_1^{\sim\vee}(0, 1) = -204e_{6,1,5},$$

$$V_1^{\sim\vee}(0, 2) = -102e_{6,1,4},$$

$$V_1^{\sim\vee}(0, s) = 0E_6 \text{ for } s = 3, \dots, 10,$$

$$V_1^{\sim}(1, \nu) = \nu^{-5} \begin{pmatrix} 0 & 0 & 306\nu^2 & 372\nu^3 & 66\nu^4 & 0 \\ 0 & 0 & 0 & 66\nu^2 & 132\nu^3 & 66\nu^4 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix} = \sum_{s=0}^1 0\nu^{-s} V_1^{\sim\vee}(1, s),$$

where

$$V_1^{\sim\vee}(1, 1) = 66e_{6,1,5} + 66e_{6,2,6},$$

$$V_1^{\sim\vee}(1, 2) = 372e_{6,1,4} + 132e_{6,2,5},$$

$$V_1^{\sim\vee}(1, 3) = 306e_{6,1,3} + 66e_{6,2,4},$$

$$V_1^{\sim\vee}(1, s) = 0E_6 \text{ for } s = 0, 4, \dots, 10,$$

$$V_1^{\sim}(2, \nu) = \nu^{-5} \begin{pmatrix} 0 & -306\nu & 108\nu^2 & 268\nu^3 & 0 & 0 \\ 0 & 0 & -198\nu & -236\nu^2 & -38\nu^3 & 0 \\ 0 & 0 & 0 & -38\nu & -76\nu^2 & -38\nu^3 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix} = \sum_{s=0}^{10} \nu^{-s} V_1^{\sim\vee}(2, s),$$

where

$$V_1^{\sim\vee}(2, 2) = 268e_{6,1,4} - 38e_{6,2,5} - 38e_{6,3,6},$$

$$V_1^{\sim\vee}(2, 3) = 108e_{6,1,3} - 236e_{6,2,4} - 76e_{6,3,5},$$

$$V_1^{\sim\vee}(2, 4) = -306e_{6,1,2} - 198e_{6,2,3} - 38e_{6,3,4},$$

$$V_1^{\sim\vee}(2, s) = 0E_6 \text{ for } s = 0, 1, 5, \dots, 10,$$

$$V_1^{\sim}(3, \nu) = \nu^{-5} \begin{pmatrix} 102 & -516\nu & -180\nu^2 & 0 & 0 & 0 \\ 0 & 198 & -84\nu & -180\nu^2 & 0 & 0 \\ 0 & 0 & 114 & 132\nu & 18\nu^2 & 0 \\ 0 & 0 & 0 & 18 & 36\nu & 18\nu^2 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix} =$$

$$\sum_{s=0}^1 0\nu^{-s}V_1^{\sim\vee}(3, s),$$

where

$$V_1^{\sim\vee}(3, 3) = -180e_{6,1,3} - 180e_{6,2,4} + 18e_{6,3,5} + 18e_{6,4,6},$$

$$V_1^{\sim\vee}(3, 4) = -516e_{6,1,2} - 84e_{6,2,3} + 132e_{6,3,4} + 36e_{6,4,5},$$

$$V_1^{\sim\vee}(3, 5) = 102e_{6,1,1} + 198e_{6,2,2} + 114e_{6,3,3} + 18e_{6,4,4},$$

$$V_1^{\sim\vee}(3, s) = 0E_6 \text{ for } s = 0, 1, 2, 6, \dots, 10,$$

$$V_1^{\sim}(4, \nu) = \nu^{-5} \begin{pmatrix} 240 & -198\nu & 0 & 0 & 0 & 0 \\ -66\nu^{-1} & 348 & 108\nu & 0 & 0 & 0 \\ 0 & -114\nu^{-1} & 60 & 108\nu & 0 & 0 \\ 0 & 0 & -54\nu^{-1} & -60 & -6\nu & 0 \\ 0 & 0 & 0 & -6\nu^{-1} & -12 & -6\nu \\ 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix} = \sum_{s=0}^1 0\nu^{-s}V_1^{\sim\vee}(4, s),$$

where

$$V_1^{\sim\vee}(4, 4) = -198e_{6,1,2} + 108e_{6,2,3} + 108e_{6,3,4} - 6e_{6,4,5} + (-6)e_{6,5,6},$$

$$V_1^{\sim\vee}(4, 5) = 240e_{6,1,1} + 348e_{6,2,2} + 60e_{6,3,3} - 60e_{6,4,4} + (-12)e_{6,5,5},$$

$$V_1^{\sim\vee}(4, 6) = -66e_{6,2,1} - 114e_{6,3,2} - 54e_{6,4,3} - 6e_{6,5,4},$$

$$V_1^{\sim\vee}(3, s) = 0E_6 \text{ for } s = 0, \dots, 3, 7, \dots, 10,$$

$$V_1^{\sim}(5, \nu) = \nu^{-5} \begin{pmatrix} 146 & 0 & 0 & 0 & 0 & 0 \\ -160\nu^{-1} & 146 & 0 & 0 & 0 & 0 \\ 38\nu^{-2} & -212\nu^{-1} & -52 & 0 & 0 & 0 \\ 0 & 54\nu^{-2} & -36\nu^{-1} & -52 & 0 & 0 \\ 0 & 0 & 18\nu^{-2} & 20\nu^{-1} & 2 & 0 \\ 0 & 0 & 0 & 2\nu^{-2} & 4\nu^{-1} & 2 \end{pmatrix} = \sum_{s=0}^{10} \nu^{-s}V_1^{\sim\vee}(5, s),$$

where

$$V_1^{\sim\vee}(5, 5) = 146e_{6,1,1} + 146e_{6,2,2} - 52e_{6,3,3} - 52e_{6,4,4} + 2e_{6,5,5} + 2e_{6,6},$$

$$V_1^{\sim\vee}(5, 6) = -160e_{6,2,1} - 212e_{6,3,2} - 36e_{6,4,3} + 20e_{6,5,4} + 4e_{6,6,5},$$

$$V_1^{\sim\vee}(5, 7) = 38e_{6,3,1} + 54e_{6,4,2} + 18e_{6,5,3} + 2e_{6,6,4},$$

$$V_1^{\sim\vee}(5, s) = 0E_6 \text{ for } s = 0, \dots, 4, 8, \dots, 10,$$

$$V_1^{\sim}(6, \nu) = \nu^{-5} \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ -102\nu^{-1} & 0 & 0 & 0 & 0 & 0 \\ 96\nu^{-2} & -102\nu^{-1} & 0 & 0 & 0 & 0 \\ -18\nu^{-3} & 108\nu^{-2} & 12\nu^{-1} & 0 & 0 & 0 \\ 0 & -18\nu^{-3} & 12\nu^{-2} & 12\nu^{-1} & 0 & 0 \\ 0 & 0 & -6\nu^{-3} & -12\nu^{-2} & -6\nu^{-1} & 0 \end{pmatrix} = \sum_{s=0}^1 0\nu^{-s} V_1^{\sim\vee}(6, s),$$

where

$$V_1^{\sim\vee}(6, 6) = -102e_{6,2,1} - 102e_{6,3,2} + 12e_{6,4,3} + 12e_{6,5,4} + (-6)e_{6,6,5},$$

$$V_1^{\sim\vee}(6, 7) = 96e_{6,3,1} + 108e_{6,4,2} + 12e_{6,5,3} - 12e_{6,6,4},$$

$$V_1^{\sim\vee}(6, 8) = -18e_{6,4,1} - 18e_{6,5,2} - 6e_{6,6,3},$$

$$V_1^{\sim\vee}(5, s) = 0E_6 \text{ for } s = 0, \dots, 5, 9, 10,$$

$$V_1^{\sim}(7, \nu) = \nu^{-5} \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 66\nu^{-2} & 0 & 0 & 0 & 0 & 0 \\ -48\nu^{-3} & 66\nu^{-2} & 0 & 0 & 0 & 0 \\ 6\nu^{-4} & -36\nu^{-3} & 12\nu^{-2} & 0 & 0 & 0 \\ 0 & 6\nu^{-4} & 12\nu^{-3} & 12\nu^{-2} & 0 & 0 \end{pmatrix} = \sum_{s=0}^1 0\nu^{-s} V_1^{\sim\vee}(7, s),$$

where

$$V_1^{\sim\vee}(7, 7) = 66e_{6,3,1} + 66e_{6,4,2} + 12e_{6,5,3} + 12e_{6,6,4},$$

$$V_1^{\sim\vee}(7, 8) = -48e_{6,4,1} - 36e_{6,5,2} + 12e_{6,6,3},$$

$$V_1^{\sim\vee}(7, 9) = 6e_{6,5,1} + 6e_{6,6,2},$$

$$V_1^{\sim\vee}(5, s) = 0E_6 \text{ for } s = 0, \dots, 6, 10,$$

$$V_1^{\sim}(8) = \nu^{-5} \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ -38\nu^{-3} & 0 & 0 & 0 & 0 & 0 \\ 16\nu^{-4} & -38\nu^{-3} & 0 & 0 & 0 & 0 \\ -2\nu^{-5} & -4\nu^{-4} & -20\nu^{-3} & 0 & 0 & 0 \end{pmatrix} =$$

$$\sum_{s=0}^1 0\nu^{-s}V_1^{\sim\vee}(8, s),$$

where

$$V_1^{\sim\vee}(8, 8) = -38e_{6,4,1} - 38e_{6,5,2} - 20e_{6,6,3},$$

$$V_1^{\sim\vee}(8, 9) = 16e_{6,5,1} - 4e_{6,6,2},$$

$$V_1^{\sim\vee}(8, 10) = -2e_{6,6,1},$$

$$V_1^{\sim\vee}(9, s) = 0E_6 \text{ for } s = 0, \dots, 7,$$

$$V_1^{\sim}(9) = \nu^{-5} \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 18\nu^{-4}8 & 0 & 0 & 0 & 0 & 0 \\ 0 & 18\nu^{-4}8 & 0 & 0 & 0 & 0 \end{pmatrix} = \sum_{s=0}^1 0\nu^{-s}V_1^{\sim\vee}(9, s),$$

where

$$V_1^{\sim\vee}(9, 9) = e_{6,5,1} + e_{6,6,2},$$

$$V_1^{\sim\vee}(9, s) = 0E_6 \text{ for } s = 0, \dots, 8, 10$$

$$V_1^{\sim}(10) = \nu^{-5} \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ -6\nu^{-5} & 0 & 0 & 0 & 0 & 0 \end{pmatrix}.$$

$$\sum_{s=0}^1 0\nu^{-s}V_1^{\sim\vee}(10, s),$$

where

$$V_1^{\sim\vee}(10, 10) = -6e_{6,6,1},$$

$$V_1^{\sim\vee}(9, s) = 0E_6 \text{ for } s = 0, \dots, 9.$$

We see that $V_1^{\sim\vee}(r, s) = 0E_6$, if $r \in [1, 10] \cap \mathbb{Z}$ and $s \in [0, r - 1] \cap \mathbb{Z}$. Therefore, in view in view of (26) in the Part 4, $V_1^{\sim*}(-i) = 0$ for $i = 0, \dots, 10$. In view of (25) in Part 4,

$$\begin{aligned} V_1^{\sim*}(0) &= V_1^{\sim\vee}(0, 0) + V_1^{\sim\vee}(1, 1) + \\ &V_1^{\sim\vee}(2, 2) + V_1^{\sim\vee}(3, 3) + V_1^{\sim\vee}(4, 4) + \\ &V_1^{\sim\vee}(5, 5) + V_1^{\sim\vee}(6, 6) + V_1^{\sim\vee}(7, 7) + \\ &V_1^{\sim\vee}(8, 8) + V_1^{\sim\vee}(9, 9) + V_1^{\sim\vee}(10, 10) = \\ &-102e_{6,1,6} + 66e_{6,1,5} + 66e_{6,2,6} + 268e_{6,1,4} - 380e_{6,2,5} - 38e_{6,3,6} + \\ &(-180)e_{6,1,3} - 180e_{6,2,4} + 18e_{6,3,5} + 18e_{6,4,6} + (-198)e_{6,1,2} + \end{aligned}$$

$$\begin{aligned}
& 108e_{6,2,3} + 108e_{6,3,4} - 6e_{6,4,5} + (-6)e_{6,5,6} + 146e_{6,1,1} + \\
& 146e_{6,2,2} - 52e_{6,3,3} - 52e_{6,4,4} + 2e_{6,5,5} + 2e_{6,6,6} + \\
& (-102)e_{6,2,1} - 102e_{6,3,2} + 12e_{6,4,3} + 12e_{6,5,4} + (-6)e_{6,6,5} + \\
& +66e_{6,3,1} + 66e_{6,4,2} + 12e_{6,5,3} + 12e_{6,6,4} + (-38)e_{6,4,1} + \\
& (-38)e_{6,5,2} - 20e_{6,6,3} + 18e_{6,5,1} + 18e_{6,6,2} + (-6)e_{6,6,1} = \\
& \begin{pmatrix} 146 & -198 & -180 & 268 & 66 & -102 \\ -102 & 146 & 108 & -180 & -38 & 66 \\ 66 & -102 & -52 & 108 & 18 & -38 \\ -38 & 66 & 12 & -52 & -6 & 18 \\ 18 & -38 & 12 & 12 & 2 & -6 \\ -6 & 18 & -20 & 12 & -6 & 2 \end{pmatrix},
\end{aligned}$$

$$\begin{aligned}
V_1^{\sim*}(1) &= V_1^{\sim\vee}(0, 1) + V_1^{\sim\vee}(1, 2) + \\
& V_1^{\sim\vee}(2, 3) + V_1^{\sim\vee}(3, 4) + V_1^{\sim\vee}(4, 5) + \\
& V_1^{\sim\vee}(5, 6) + V_1^{\sim\vee}(6, 7) + V_1^{\sim\vee}(7, 8) + \\
& V_1^{\sim\vee}(8, 9) + V_1^{\sim\vee}(9, 10) =
\end{aligned}$$

$$\begin{aligned}
& -204e_{6,1,5} + 372e_{6,1,4} + 132e_{6,2,5} + 108e_{6,1,3} + (-236)e_{6,2,4} + \\
& (-76)e_{6,3,5} - 516e_{6,1,2} - 84e_{6,2,3} + 132e_{6,3,4} + 36e_{6,4,5} + \\
& 240e_{6,1,1} + 348e_{6,2,2} + 60e_{6,3,3} - 60e_{6,4,4} + (-12)e_{6,5,5} + \\
& (-160)e_{6,2,1} - 212e_{6,3,2} - 36e_{6,4,3} + 20e_{6,5,4} + 4e_{6,6,5} + \\
& 96e_{6,3,1} + 108e_{6,4,2} + 12e_{6,5,3} - 12e_{6,6,4} + (-48)e_{6,4,1} + \\
& (-36)e_{6,5,2} + 12e_{6,6,3} + 16e_{6,5,1} - 4e_{6,6,2} = \\
& \begin{pmatrix} 240 & -516 & 108 & 372 & -204 & 0 \\ -160 & 348 & -84 & -236 & 132 & 0 \\ 96 & -212 & 60 & 132 & -76 & 0 \\ -48 & 108 & -36 & -60 & 36 & 0 \\ 16 & -36 & 12 & 20 & -12 & 0 \\ 0 & -4 & 12 & -12 & 4 & 0 \end{pmatrix},
\end{aligned}$$

$$\begin{aligned}
V_1^{\sim*}(2) &= V_1^{\sim\vee}(0, 2) + V_1^{\sim\vee}(1, 3) + \\
& V_1^{\sim\vee}(2, 4) + V_1^{\sim\vee}(3, 5) + V_1^{\sim\vee}(4, 6) + \\
& V_1^{\sim\vee}(5, 7) + V_1^{\sim\vee}(6, 8) + V_1^{\sim\vee}(7, 9) + \\
& V_1^{\sim\vee}(8, 10) =
\end{aligned}$$

$$\begin{aligned}
& -102e_{6,1,4} + 306e_{6,1,3} + 66e_{6,2,4} - 306e_{6,1,2} - 198e_{6,2,3} + \\
& (-38)e_{6,3,4} + 102e_{6,1,1} + 198e_{6,2,2} + 114e_{6,3,3} + 18e_{6,4,4} + \\
& (-66)e_{6,2,1} + (-114)e_{6,3,2} - 54e_{6,4,3} - 6e_{6,5,4} + \\
& 38e_{6,3,1} + 54e_{6,4,2} + 18e_{6,5,3} + 2e_{6,6,4} + \\
& (-18)e_{6,4,1} - 18e_{6,5,2} - 6e_{6,6,3} + 6e_{6,5,1} + 6e_{6,6,2} - 2e_{6,6,1} =
\end{aligned}$$

$$\begin{pmatrix} 102 & -306 & 306 & -102 & 0 & 0 \\ -66 & 198 & -198 & 66 & 0 & 0 \\ 38 & -114 & 114 & -38 & 0 & 0 \\ -18 & 54 & -54 & 18 & 0 & 0 \\ 6 & -18 & 18 & -6 & 0 & 0 \\ -2 & 6 & -6 & 2 & 0 & 0 \end{pmatrix}.$$

Since $V_1^{\sim\vee}(r, s) = 0E_8$, if $r = 0, \dots, 7, s \in [k+3, 10] \cap \mathbb{Z}$, it follows that $V_1^{\sim*}(i) = 0$ for $i = s - r \geq 3$. Clearly,

$$V_1^{\sim*}(0)T_{6,-1} = \begin{pmatrix} 146 & 198 & -180 & -268 & 66 & 102 \\ -102 & -146 & 108 & 180 & -380 & -66 \\ 66 & 102 & -52 & -108 & 18 & 38 \\ -38 & -66 & 12 & 52 & -6 & -18 \\ 18 & 38 & 12 & -12 & 2 & 6 \\ -6 & -18 & -20 & -12 & -6 & -2 \end{pmatrix},$$

$$V_1^{\sim*}(1)T_{6,-1} = \begin{pmatrix} 240 & 516 & 108 & -372 & -204 & 0 \\ -160 & -348 & -84 & 236 & 132 & 0 \\ 96 & 212 & 60 & -132 & -76 & 0 \\ -48 & -108 & -36 & 60 & 36 & 0 \\ 16 & 36 & 12 & -20 & -12 & 0 \\ 0 & 4 & 12 & 12 & 4 & 0 \end{pmatrix},$$

$$V_1^{\sim*}(2)T_{6,-1} = \begin{pmatrix} 102 & 306 & 306 & 102 & 0 & 0 \\ -66 & -198 & -198 & -66 & 0 & 0 \\ 38 & 114 & 114 & 38 & 0 & 0 \\ -18 & -54 & -54 & -18 & 0 & 0 \\ 6 & 18 & 18 & 6 & 0 & 0 \\ -2 & -6 & -6 & -2 & 0 & 0 \end{pmatrix},$$

and, In view of (21) in the Part 4,

$$S_1^{\sim}T_{6,-1} = \begin{pmatrix} -1 & -6 & -18 & -38 & -66 & -102 \\ 0 & 1 & 6 & 18 & 38 & 66 \\ 0 & 0 & -1 & -6 & -18 & -38 \\ 0 & 0 & 0 & 1 & 6 & 18 \\ 0 & 0 & 0 & 0 & -1 & -6 \\ 0 & 0 & 0 & 0 & 0 & 1 \end{pmatrix}.$$

Therefore direct calculations show that

$$(1) \quad (S_1^{\sim}T_{6,-1})^2 = E_6,$$

,

$$(2)$$

$$S_1^{\sim}T_{6,-1}V_1^{\sim*}(0)T_{6,-1} = \begin{pmatrix} 146 & 678 & 1260 & 1172 & 546 & 102 \\ -102 & -466 & -852 & -780 & -358 & -66 \\ 66 & 294 & 524 & 468 & 210 & 38 \\ -38 & -162 & -276 & -236 & -102 & -18 \\ 18 & 70 & 108 & 84 & 34 & 6 \\ -6 & -18 & -20 & -12 & -6 & -2 \end{pmatrix} =$$

$$-V_1^{\sim*}(0)T_{6,-1}S_1^{\sim}T_{6,-1},$$

(3)

$$S_1^{\sim}T_{6,-1}V_1^{\sim*}(1)T_{6,-1} = \begin{pmatrix} -240 & -924 & -1332 & -852 & -204 & 0 \\ 160 & 612 & 876 & 556 & 132 & 0 \\ -96 & -364 & -516 & -324 & -76 & 0 \\ 48 & 180 & 252 & 156 & 36 & 0 \\ -16 & -60 & -84 & -52 & -12 & 0 \\ 0 & 4 & 12 & 12 & 4 & 0 \end{pmatrix} =$$

$$V_1^{\sim*}(1)T_{6,-1}S_1^{\sim}T_{6,-1},$$

$$(4) \quad S_1^{\sim}T_{6,-1}V_1^{\sim*}(2)T_{6,-1} = \begin{pmatrix} 102 & 306 & 306 & 102 & 0 & 0 \\ -66 & -198 & -198 & -66 & 0 & 0 \\ 38 & 114 & 114 & 38 & 0 & 0 \\ -18 & -54 & -54 & -18 & 0 & 0 \\ 6 & 18 & 18 & 6 & 0 & 0 \\ -2 & -6 & -6 & -2 & 0 & 0 \end{pmatrix} =$$

$$-V_1^{\sim*}(2)T_{6,-1}S_1^{\sim}T_{6,-1},$$

(5)

$$V_1^{\sim*}(i)T_{6,-1}V_1^{\sim*}(k)T_{6,-1} = 0E_6$$

for $i = 0, 1, 2$ and $k = 0, 1, 2$. So the equalities (16) – (18) from the Part 4 hold for $l=1$, and we had made full test of the equality $A_1(z, \nu)A_1(z, -\nu) = -\nu^{10}E_6$. The equality (18) from the Part 4 substantiates the test, which was made for the equality $A_1(z, \nu)A_1(z, -\nu) = -\nu^{10}E_6$ in the Part 3.

Arithmetical applications will be given in the next parts.

§5.2. Corrections in the previous parts of this paper.

On the page 8, first line from the top, in the Part 4 must stand

”and, in view of (20),”

instead of

”and, in view of (26),”

The equality

$$V_1^*(2) = \begin{pmatrix} 0 & -306 & 108 & 268 & 0 & 0 \\ 0 & 0 & -198 & -236 & -38 & 0 \\ 0 & 0 & 0 & -38 & -76 & -38 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix},$$

must stand in Part 3 instead of

$$V_1^*(2) = \begin{pmatrix} 0 & -306 & 108 & 268 & 0 & 0 \\ 0 & 0 & -198 & -236 & -380 & 0 \\ 0 & 0 & 0 & -38 & -76 & -38 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix},$$

In four last lines of the section 4.4 of the Part 4 must stand E_8 instead of E_4 .

References.

- [1] R.Apéry, Interpolation des fractions continues
et irrationalite de certaines constantes,
Bulletin de la section des sciences du C.T.H., 1981, No 3, 37 – 53;
- [2] L.A.Gutnik, On some systems of difference equations. Part 1.
Max-Plank-Institut für Mathematik, Bonn,
Preprint Series, 2006, 23, 1 – 37.
- [3] —————, On some systems of difference equations. Part 2.
Max-Plank-Institut für Mathematik, Bonn,
Preprint Series, 2006, 49, 1 – 31.
- [4] —————, On some systems of difference equations. Part 3.
Max-Plank-Institut für Mathematik, Bonn,
Preprint Series, 2006, 91, 1 – 52.
- [5] —————, On some systems of difference equations. Part 4.
Max-Plank-Institut für Mathematik, Bonn,
Preprint Series, 2006, 101, 1 – 49.

E-mail: gutnik@gutnik.mccme.ru