

ON SOME SYSTEMS OF DIFFERENCE EQUATIONS. Part 4.

L.A.Gutnik

Dedicated to the memory of
Professor N.M.Korobov.

Table of contents

§3.0. Foreword.

§4.1. Pass from the operator δ to the operator $\nu^{-1}\delta$.

§4.2. The matrix $W_0^\sim(z; \nu)$.

§4.3. Continuation of the test of the equality

$$-\nu^{6+4l} E_{4+2l} = A_l^*(z; \nu) A_l^*(z; -\nu)$$

in the case $l = 2$.

§4.4. The matrix $W_2^\sim(z; \nu)$.

§4.5. Corrections to the previous parts of this paper.

§2.0. Foreword.

Nikolaj Mikhajlovich Korobov was not only an outstanding mathematician, but also a good man, a gentleman. Among his pupils are

V.A. Bykovskij, Mark Levin, D.A. Mit'kin.

Acknowledgments. I express my deepest thanks to Professors

B.Z.Moroz, I.I. Piatetski-Shapiro,

A.G.Aleksandrov, P.Bundshuh and S.G.Gindikin for help and support.

§4.1. Pass from the operator δ to the operator $\nu^{-1}\delta$.

Let λ be a variable. We denote by $T_{n,\lambda}$ the diagonal $n \times n$ -matrix, i -th diagonal element of which is equal to λ^{i-1} for $i = 1, \dots, n$. We return now to the equation (32) of the Part 2, i.e. to the equality

$$(1) \quad \nu^{3+2l} X_{l,k}(z; \nu - 1) = A_l^*(z; \nu) X_{l,k}(z; \nu),$$

where $l = 0, 1, 2$ and $k \in \mathfrak{K}_l$, $|z| > 1$, $\nu \in \mathbb{Z}$, and $X_{l,k}(z; \nu)$ be the column with $4+2l$ elements, i -th of which is equal to $\delta^{i-1} f_{l,k}^\vee(z, \nu)$ for $i = 1, \dots, 4+2l$. Let $Y_{l,k}(z; \nu)$ be the column with $4+2l$ elements, i -th of which is equal to $(\nu^{-1}\delta)^{i-1} f_{l,k}^\vee(z, \nu)$ for $i = 1, \dots, 4+2l$, where $\nu \neq 0$. Clearly,

$$(2) \quad X_{l,k}(z; \nu) = T_{4+2l, \nu} Y_{l,k}(z; \nu).$$

Let

$$(3) \quad A_l^\sim(z; \nu) = \nu^{-3-2l} (T_{4+2l, \nu})^{-1} A_l^*(z; \nu) T_{4+2l, \nu}.$$

Then equation (1) transforms ourself into equation

$$(4) \quad T_{4+2l, 1-\nu^{-1}} Y_{l,k}(z; \nu - 1) = A_l^\sim(z; \nu) Y_{l,k}(z; \nu).$$

In view of (5), (6), (17), (18), (19) in the Part 3,

$$(5) \quad Q_l^*(z; \nu) = Q_l^*(\nu) := \sum_{s=0}^{6+4l} \nu^s R_l^*(s),$$

$$(6) \quad W_l^*(z; \nu) = W_l^*(\nu) := \sum_{s=0}^{6+4l} \nu^s V_l^*(s),$$

$$(7) \quad S_l^*(z; \nu) = S_l^*(\nu) := \sum_{s=0}^{6+4l} \nu^s H_l^*(s).$$

$$(8) \quad A_l^*(z; \nu) = S_l^*(\nu) + z W_l^*(\nu).$$

Let

$$(9) \quad S_l^\sim(\nu) = \nu^{-3-2l} (T_{4+2l, \nu})^{-1} S_l^*(\nu) T_{4+2l, \nu},$$

$$(10) \quad V_l^\sim(s, \nu) = \nu^{-3-2l} (T_{4+2l, \nu})^{-1} V_l^*(s) T_{4+2l, \nu},$$

where $s = 0, \dots, 6 + 4l$,

$$(11) \quad W_l^\sim(\nu) = \nu^{-3-2l} (T_{4+2l, \nu})^{-1} W_l^*(\nu) T_{4+2l, \nu} =$$

$$\sum_{s=0}^{6+4l} \nu^s V_l^\sim(s),$$

Then, in view of (8),

$$(12) \quad A_l^\sim(z; \nu) = S_l^\sim(\nu) + z W_l^\sim(\nu) \nu^{-3-2l} (T_{4+2l, \nu})^{-1} A_l^*(z, \nu) T_{4+2l, \nu},$$

$$(13) \quad A_l^*(z; \nu) = \nu^{3+2l} (T_{4+2l, \nu}) A_l^\sim(z, \nu) T_{4+2l, \nu}^{-1},$$

and it follows from the equalities

$$(14) \quad A_l^*(z; \nu) A_l^*(z, -\nu) = \\ -\nu^{6+4l} E_{4+2l}, \quad T_{4+2l, \nu}^{-1} T_{4+2l, -\nu} = T_{4+2l, -1},$$

that

$$(15) \quad A_l^\sim(z, \nu) T_{4+2l, -1} A_l^\sim(z, -\nu) = T_{4+2l, -1}$$

for $l = 0, 1, 2$. Therefore the equality (15) is equivalent to the following system of equalities (16) – (18)

$$(16) \quad S_l^\sim(\nu) T_{4+2l, -1} S_l^\sim(-\nu) = T_{4+2l, -1}$$

$$(17) \quad W_l^\sim(\nu) T_{4+2l, -1} W_l^\sim(-\nu) = 0 E_{4+2l}$$

$$(18) \quad S_l^\sim(\nu) T_{4+2l, -1} W_l^\sim(-\nu) = -W_l^\sim(\nu) T_{4+2l, -1} S_l^\sim(-\nu)$$

for $l = 0, 1, 2$. Clearly, the equality (16) is equivalent for $l = 0, 1, 2$ to the system (20) – (21) in the Part 3, the equality (17) is equivalent for $l = 0, 1, 2$ to the system (15) in the Part 3 (see section 4.5 here) and the equality (18) is equivalent for $l = 0, 1, 2$ to the system (22) in the Part 3.

Clearly,

$$(T_{4+2l, \nu})^{-1} (N_{4+2l})^k T_{4+2l, \nu} = \nu^k (N_{4+2l})^k.$$

Therefore, in view of (47) in the Part 3,

$$(T_{4+2l, \nu})^{-1} H_l^*(s) T_{4+2l, \nu} = \nu^k (N_{4+2l})^k = h_l^*(s) \nu^{3+2l-s} (N_{4+2l})^{3+2l-s},$$

and, in view of (7), (9),

$$(19) \quad S_l^\sim(\nu) := \sum_{s=0}^{6+4l} h_l^*(s) (N_{4+2l})^{3+2l-s} = \sum_{s=0}^{3+2l} h_l^*(s) (N_{4+2l})^{3+2l-s}$$

doesn't depend from ν ; more precisely

$$(20) \quad S_0^\sim(\nu) = S_0^\sim := \begin{pmatrix} 1 & -4 & 8 & -12 \\ 0 & 1 & -4 & 8 \\ 0 & 0 & 1 & -4 \\ 0 & 0 & 0 & 1 \end{pmatrix}$$

$$(21) \quad S_1^\sim(\nu) = S_1^\sim := \begin{pmatrix} -1 & 6 & -18 & 38 & -66 & 102 \\ 0 & -1 & 6 & -18 & 38 & -66 \\ 0 & 0 & -1 & 6 & -18 & 38 \\ 0 & 0 & 0 & -1 & 6 & -18 \\ 0 & 0 & 0 & 0 & -1 & 6 \\ 0 & 0 & 0 & 0 & 0 & -1 \end{pmatrix},$$

(22)

$$S_2^\sim(\nu) = S_2^\sim := \begin{pmatrix} 1 & -8 & 32 & -88 & 192 & -360 & 608 & -952 \\ 0 & 1 & -8 & 32 & -88 & 192 & -360 & 608 \\ 0 & 0 & 1 & -8 & 32 & -88 & 192 & -360 \\ 0 & 0 & 0 & 1 & -8 & 32 & -88 & 192 \\ 0 & 0 & 0 & 0 & 1 & -8 & 32 & -88 \\ 0 & 0 & 0 & 0 & 0 & 1 & -8 & 32 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & -8 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{pmatrix} =$$

$$\begin{pmatrix} K_2 & L_2 \\ 0E_4 & K_2 \end{pmatrix},$$

where

$$K_2 = \begin{pmatrix} 1 & -8 & 32 & -88 \\ 0 & 1 & -8 & 32 \\ 0 & 0 & 1 & -8 \\ 0 & 0 & 0 & 1 \end{pmatrix}, L_2 = \begin{pmatrix} 192 & -360 & 608 & -952 \\ -88 & 192 & -360 & 608 \\ 32 & -88 & 192 & -360 \\ -8 & 32 & -88 & 192 \end{pmatrix}.$$

In view of (10)

$$(23) \quad V_l^\sim(s, \nu) = \sum_{k=0}^{6+4l} \nu^{-k} V_l^{\sim\vee}(s, k) = \sum_{\kappa=-3-2l}^{3+2l} \nu^{-3-2l-\kappa} V_l^{\sim\vee}(s, 3+2l+\kappa)$$

with $V_l^{\sim\vee}(k) \in Mat_{4+2l}(\mathbb{Q})$, where $l = 0, 1, 2, k = 0, \dots, 6+4l$. Therefore, in view of (11),

$$(24) \quad W_l^\sim(\nu) = \sum_{s=0}^{6+4l} \left(\sum_{k=0}^{6+4l} \nu^{s-k} V_l^{\sim\vee}(k) \right) = \sum_{i=-6+4l}^{6+4l} \nu^{-i} V_l^{\sim*}(i),$$

where

$$(25) \quad V_l^{\sim*}(i) = \sum_{k=i}^{6+4l} V_l^{\sim\vee}(k-i, k)$$

for $i = 0, \dots, 6+4l$,

$$(26) \quad V_l^{\sim*}(-i) = \sum_{k=0}^{6+4l-i} V_l^{\sim\vee}(k+i, k)$$

for $i = 1, \dots, 6+4l$.

As in Part 3 of this work, if $n \in \mathbb{N}$, then E_n denotes the $n \times n$ unit matrix, $e_{n,i,k}$ for $i = 1, \dots, n, k = 1, \dots, n$ denotes the $n \times n$ -matrix, which has 1 on the intersection its i -th row and k -th column, and all the other its elements are equal to 0,

$$N_n = \sum_{k=0}^{n-1} e_{n,k,k+1}, N_n^\wedge = \sum_{k=0}^{n-1} e_{n,k+1,k},$$

by \mathfrak{R}_n^\vee and \mathfrak{R}_n^\wedge are denoted the subrings in $Mat_n(\mathbb{C})$ consisting respectively from all the upper and respectively lower triangle matrices in $Mat_n(\mathbb{C})$. In view of (23) and (10),

$$V_l^{\sim\vee}(s, 3+2l+\kappa) = \sum_{\substack{\{\eta, \theta\} \subset [1, 4+2l] \cap \mathbb{Z} \\ \eta - \theta = \kappa}} v_{l,\eta,\theta}^*(s) e_{4+2l,\eta,\theta},$$

In view of (58), (59) in the Part 3 (see also section 4.5 below)

$$(27) \quad V_l^*(3 + 2l + \kappa) \in \mathfrak{R}_{4+2l}(N^\wedge)^\kappa \cap (N^\wedge)^\kappa \mathfrak{R}_{4+2l}$$

for $l = 0, 1, 2, \kappa = 0, \dots, 3 + 2l$.

§4.2. The matrix $W_0^\sim(\nu)$.

In view of (10) and results of the part 3,

$$V_0^\sim(0, \nu) = \nu^{-3} \begin{pmatrix} 0 & 0 & 12\nu^2 & 12\nu^3 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix} = \sum_{s=0}^6 \nu^{-s} V_0^{\sim\vee}(0, s),$$

where

$$V_0^{\sim\vee}(0, 0) = 12e_{4,1,4}, V_0^{\sim\vee}(0, 1) = 12e_{4,1,3},$$

$$V_0^{\sim\vee}(0, s) = 0E_4 \text{ for } s = 2, \dots, 6,$$

$$V_0^\sim(1, \nu) = (\nu)^{-3} \begin{pmatrix} 0 & -24\nu & -8\nu^2 & 0 \\ 0 & 0 & -8\nu & -8\nu^2 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix} = \sum_{s=0}^6 \nu^{-s} V_0^{\sim\vee}(1, s),$$

where

$$V_0^{\sim\vee}(1, 1) = -8e_{4,1,3} - 8e_{4,2,4},$$

$$V_0^{\sim\vee}(1, 2) = -24e_{4,1,2} - 8e_{4,2,3},$$

$$V_0^{\sim\vee}(1, s) = 0E_4 \text{ for } s = 0, 3, \dots, 6,$$

$$V_0^\sim(2, \nu) = (\nu)^{-3} \begin{pmatrix} 12 & -20\nu & 0 & 0 \\ 0 & 16 & 4\nu & 0 \\ 0 & 0 & 4 & 4\nu \\ 0 & 0 & 0 & 0 \end{pmatrix} = \sum_{s=0}^6 \nu^{-s} V_0^{\sim\vee}(2, s),$$

where

$$V_0^{\sim\vee}(2, 2) = -20e_{4,1,2} + 4e_{4,2,3} + 4e_{4,3,4},$$

$$V_0^{\sim\vee}(2, 3) = 12e_{4,1,1} + 16e_{4,2,2} + 4e_{4,3,3},$$

$$V_0^{\sim\vee}(2, s) = 0E_4 \text{ for } s = 0, 1, 4, 5, 6,$$

$$V_0^\sim(3, \nu) = (\nu)^{-3} \begin{pmatrix} 16 & 0 & 0 & 0 \\ -8\nu^{-1} & 16 & 0 & 0 \\ 0 & -8\nu^{-1} & 0 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix} = \sum_{s=0}^6 \nu^{-s} V_0^{\sim\vee}(3, s),$$

where

$$V_0^{\sim\vee}(3, 3) = 16e_{4,1,1} + 16e_{4,2,2},$$

$$V_0^{\sim\vee}(3, 4) = -8e_{4,2,1} - 8e_{4,3,2},$$

$$V_0^{\sim\vee}(3, s) = 0E_4 \text{ for } s = 0, 1, 2, 5, 6$$

$$V_0^{\sim}(4, \nu) = (\nu)^{-3} \begin{pmatrix} 0 & 0 & 0 & 0 \\ -12\nu^{-1} & 0 & 0 & 0 \\ 4\nu^{-2} & -12\nu^{-1} & 0 & 0 \\ 0 & 0 & -4\nu^{-1} & 0 \end{pmatrix} = \sum_{s=0}^6 \nu^{-s} V_0^{\sim\vee}(4, s),$$

where

$$V_0^{\sim\vee}(4, 4) = -12e_{4,2,1} - 12e_{4,3,2} - 4e_{4,4,3},$$

$$V_0^{\sim\vee}(4, 5) = 4e_{4,3,1}$$

$$V_0^{\sim\vee}(4, s) = 0E_4 \text{ for } s = 0, 1, 2, 3, 6,$$

$$V_0^{\sim}(5, \nu) = (\nu)^{-3} \begin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 8\nu^{-2} & 0 & 0 & 0 \\ 0 & 8\nu^{-2} & 0 & 0 \end{pmatrix} = \sum_{s=0}^6 \nu^{-s} V_0^{\sim\vee}(5, s),$$

where

$$V_0^{\sim\vee}(5, 5) = 8e_{4,3,1} + 8e_{4,4,2}, V_0^{\sim\vee}(5, s) = 0E_4 \text{ for } s = 0, 1, 2, 3, 4, 6,$$

$$V_0^{\sim}(6, \nu) = \nu^{-3} \begin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ -4\nu^{-3} & 0 & 0 & 0 \end{pmatrix} = \sum_{s=0}^6 \nu^{-s} V_0^{\sim\vee}(6, s),$$

where

$$V_0^{\sim\vee}(6, 6) = -4e_{4,4,1}, V_0^{\sim\vee}(6, s) = 0E_4 \text{ for } s = 0, 1, 2, 3, 4, 5.$$

We see that $V_0^{\sim\vee}(r, s) = 0E_4$, if $r \in [1, 6] \cap \mathbb{Z}$ and $s \in [0, r-1] \cap \mathbb{Z}$. Therefore, in view of (26), $V_2^{\sim*}(-i) = 0E_4$ for $i = 0, \dots, 6$.

In view of (25),

$$\begin{aligned} V_0^{\sim*}(0) &= V_0^{\sim\vee}(0, 0) + V_0^{\sim\vee}(1, 1) + \\ V_0^{\sim\vee}(2, 2) &+ V_0^{\sim\vee}(3, 3) + V_0^{\sim\vee}(4, 4) + \\ V_0^{\sim\vee}(5, 5) &+ V_0^{\sim\vee}(6, 6) = \\ 12e_{4,1,4} &- 8e_{4,1,3} - 8e_{4,2,4} + \\ (-20)e_{4,1,2} &+ 4e_{4,2,3} + 4e_{4,3,4} + \\ 16e_{4,1,1} &+ 16e_{4,2,2} - 12e_{4,2,1} - 12e_{4,3,2} - 4e_{4,4,3} + \\ 8e_{4,3,1} &+ 8e_{4,4,2} + (-4)e_{4,4,1} = \\ \begin{pmatrix} 16 & -20 & -8 & 12 \\ -12 & 16 & 4 & -8 \\ 8 & -12 & 0 & 4 \\ -4 & 8 & -4 & 0 \end{pmatrix} &= 4 \begin{pmatrix} 4 & -5 & -2 & 3 \\ -3 & 4 & 1 & -2 \\ 2 & -3 & 0 & 1 \\ -1 & 2 & -1 & 0 \end{pmatrix}, \end{aligned}$$

$$V_0^{\sim*}(1) = V_0^{\sim\vee}(0, 1) + V_0^{\sim\vee}(1, 2) +$$

$$V_0^{\sim\vee}(2, 3) + V_0^{\sim\vee}(3, 4) + V_0^{\sim\vee}(4, 5) +$$

$$V_0^{\sim\vee}(5, 6) =$$

$$12e_{4,1,3} - 24e_{4,1,2} - 8e_{4,2,3} + 12e_{4,1,1} + 16e_{4,2,2} +$$

$$4e_{4,3,3} - 8e_{4,2,1} - 8e_{4,3,2} + 4e_{4,3,1} =$$

$$\begin{pmatrix} 12 & -24 & 12 & 0 \\ -8 & 16 & -8 & 0 \\ 4 & -8 & 4 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix} = 4 \begin{pmatrix} 3 & -6 & 3 & 0 \\ -2 & 4 & -2 & 0 \\ 1 & -2 & 1 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix},$$

$$V_0^{\sim*}(2) = V_0^{\sim\vee}(0, 2) + V_0^{\sim\vee}(1, 3) +$$

$$V_0^{\sim\vee}(2, 4) + V_0^{\sim\vee}(3, 5) + V_0^{\sim\vee}(4, 6) = 0E_4,$$

$$V_0^{\sim*}(3) = V_0^{\sim\vee}(0, 3) + V_0^{\sim\vee}(1, 4) +$$

$$V_0^{\sim\vee}(2, 5) + V_0^{\sim\vee}(3, 6) = 0E_4.$$

$$V_0^{\sim*}(4) = V_0^{\sim\vee}(0, 4) + V_0^{\sim\vee}(1, 5) +$$

$$V_0^{\sim\vee}(2, 6) = 0E_4,$$

$$V_0^{\sim*}(5) = V_0^{\sim\vee}(0, 5) + V_0^{\sim\vee}(1, 6) = 0E_4$$

$$V_0^{\sim*}(6) + V_0^{\sim\vee}(0, 6) = 0E_4.$$

Easy calculations show that

$$(28) \quad V_0^{\sim*}(0)T_{4,-1}V_0^{\sim*}(1) =$$

$$16 \begin{pmatrix} 4 & 5 & -2 & -3 \\ -3 & -4 & 1 & 2 \\ 2 & 3 & 0 & -1 \\ -1 & -2 & -1 & 0 \end{pmatrix} \begin{pmatrix} 3 & -6 & 3 & 0 \\ -2 & 4 & -2 & 0 \\ 1 & -2 & 1 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix} = 0E_4,$$

$$(29) \quad V_0^{\sim*}(1)T_{4,-1}V_0^{\sim*}(0) =$$

$$16 \begin{pmatrix} 3 & 6 & 3 & 0 \\ -2 & -4 & -2 & 0 \\ 1 & 2 & 1 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix} \begin{pmatrix} 4 & -5 & -2 & 3 \\ -3 & 4 & 1 & -2 \\ 2 & -3 & 0 & 1 \\ -1 & 2 & -1 & 0 \end{pmatrix} = 0E_4,$$

$$(30) \quad V_0^{\sim*}(0)T_{4,-1}V_0^{\sim*}(0) =$$

$$16 \begin{pmatrix} 4 & 5 & -2 & -3 \\ -3 & -4 & 1 & 2 \\ 2 & 3 & 0 & -1 \\ -1 & -2 & -1 & 0 \end{pmatrix} \begin{pmatrix} 4 & -5 & -2 & 3 \\ -3 & 4 & 1 & -2 \\ 2 & -3 & 0 & 1 \\ -1 & 2 & -1 & 0 \end{pmatrix} = 0E_4,$$

$$(31) \quad V_0^{\sim*}(1)T_{4,-1}V_0^{\sim*}(1) =$$

$$16 \begin{pmatrix} 3 & 6 & 3 & 0 \\ -2 & -4 & -2 & 0 \\ 1 & 2 & 1 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix} \begin{pmatrix} 3 & -6 & 3 & 0 \\ -2 & 4 & -2 & 0 \\ 1 & -2 & 1 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix} = 0E_4,$$

and, in view of (26),

(32)

$$S_0^\sim T_{4,-1} S_0^\sim T_{4,-1} = \begin{pmatrix} 1 & -4 & 8 & -12 \\ 0 & 1 & -4 & 8 \\ 0 & 0 & 1 & -4 \\ 0 & 0 & 0 & 1 \end{pmatrix} \begin{pmatrix} 1 & 4 & 8 & 12 \\ 0 & 1 & 4 & 8 \\ 0 & 0 & 1 & 4 \\ 0 & 0 & 0 & 1 \end{pmatrix} = E_4,$$

$$(33) \quad S_0^\sim T_{4,-1} V_0^\sim(0) + V_0^\sim(0) T_{4,-1} S_0^\sim =$$

$$\begin{aligned} & 4 \begin{pmatrix} 1 & 4 & 8 & 12 \\ 0 & -1 & -4 & -8 \\ 0 & 0 & 1 & 4 \\ 0 & 0 & 0 & -1 \end{pmatrix} \begin{pmatrix} 4 & -5 & -2 & 3 \\ -3 & 4 & 1 & -2 \\ 2 & -3 & 0 & 1 \\ -1 & 2 & -1 & 0 \end{pmatrix} + \\ & 4 \begin{pmatrix} 4 & 5 & -2 & -3 \\ -3 & -4 & 1 & 2 \\ 2 & 3 & 0 & -1 \\ -1 & -2 & -1 & 0 \end{pmatrix} \begin{pmatrix} 1 & -4 & 8 & -12 \\ 0 & 1 & -4 & 8 \\ 0 & 0 & 1 & -4 \\ 0 & 0 & 0 & 1 \end{pmatrix} = \\ & 4 \begin{pmatrix} -4 & 11 & -10 & 3 \\ 3 & -8 & 7 & -2 \\ -2 & 5 & 1 & 4 \\ 1 & -2 & 1 & 0 \end{pmatrix} + 4 \begin{pmatrix} 4 & -11 & 10 & -3 \\ -3 & 8 & -7 & 2 \\ 2 & -5 & 4 & -1 \\ -1 & 2 & -1 & 0 \end{pmatrix} = 0E_4, \end{aligned}$$

$$(34) \quad S_0^\sim T_{4,-1} V_0^\sim(1) - V_0^\sim(1) T_{4,-1} S_0^\sim =$$

$$\begin{aligned} & 4 \begin{pmatrix} 1 & 4 & 8 & 12 \\ 0 & -1 & -4 & -8 \\ 0 & 0 & 1 & 4 \\ 0 & 0 & 0 & -1 \end{pmatrix} \begin{pmatrix} 3 & -6 & 3 & 0 \\ -2 & 4 & -2 & 0 \\ 1 & -2 & 1 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix} + \\ & 4 \begin{pmatrix} 3 & 6 & 3 & 0 \\ -2 & -4 & -2 & 0 \\ 1 & 2 & 1 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix} \begin{pmatrix} 1 & -4 & 8 & -12 \\ 0 & 1 & -4 & 8 \\ 0 & 0 & 1 & -4 \\ 0 & 0 & 0 & 1 \end{pmatrix} = \\ & 4 \begin{pmatrix} 3 & -61 & 3 & 0 \\ -2 & 4 & -2 & 0 \\ 1 & -2 & 1 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix} - 4 \begin{pmatrix} 3 & -61 & 3 & 0 \\ -2 & 4 & -2 & 0 \\ 1 & -2 & 1 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix} = 0E_4. \end{aligned}$$

The equality (17) for $l = 0$ follows from (28) – (31). The equality (16) in the case $l = 0$ follows from (20), (32). The equality (18) in the case $l = 0$ follows from (20), (33) – (34); moreover these equalities substantiate the test, which was made for the equality $A_0(z, \nu)A_0(z, -\nu) = -\nu^6 E_4$ in the Part 3.

So, we had made full test of the equality

$$A_0(z, \nu)A_0(z, -\nu) = -\nu^6 E_4.$$

§4.3. Continuation of the test of the equality

$$-\nu^{6+4l} E_{4+2l} = A_l^*(z; \nu) A_l^*(z; -\nu)$$

in the case $l = 2$.

Further we have (see the Part 3):

$$\begin{aligned}
t_{2,4,5}^\vee(10) &= t_{2,4,8}^\vee(10) = 32(6)h_2^*(7) + \\
&(11)8h_2^*(6) + 32h_2^*(5) + 8h_2^*(4)) = \\
&32(6 - 22 + 32 - 22) = -192, \\
t_{2,4,6}^\vee(10) &= t_{2,4,7}^\vee(10) = 3t_{2,4,5}^\vee(10) = -576 \\
t_{2,4,5}^\wedge(10) &= 32(6)h_2^*(7) + 8(96)h_2^*(6) + \\
&(32)(36)h_2^*(5) + 8(96)h_2^*(4) + 192h_2^*(3) = \\
&192(h_2^*(7) + 4h_2^*(6) + 6h_2^*(5) + 4h_2^*(4) + h_2^*(3)) - \\
&192t_{2,1,5}^{\wedge\wedge}(7) = 192 \\
t_{2,4,6}^\wedge(10) &= 32(18)h_2^*(7) + 8(203)h_2^*(6) + \\
&(32)(23)h_2^*(5) + 8(-222)h_2^*(4) - (32)67h_2^*(3) - 680h_2^*(2) - \\
&88t_{2,1,6}^{**}(6) = 576h_2^*(7) + (8)192h_2^*(6) + \\
&+(192)2h_2^*(5) - (576)4h_2^*(4) - (32)26(3)(192) + (768)360 = \\
&576(1 + 352 - 832 + 480) + 192(64 - 64) = 576, \\
t_{2,4,7}^\wedge(10) &= 32(18)h_2^*(7) + 8(118)h_2^*(6) - \\
&(32)(36)h_2^*(5) + 8(-316)h_2^*(4) + (32)4h_2^*(3) + (8)246h_2^*(2) + \\
&(8)(104)h_2^*(1) - 8(104)t_{2,1,7}^{**}(5) = \\
&32(18)h_2^*(7) + 8(118)h_2^*(6) - 32(62)h_2^*(5) - (8)732h_2^*(4) + \\
&8(-608)h_2^*(3) + 8(-170)h_2^*(2)) = t_{2,4,6}^\wedge(10) - \\
&8(85)h_2^*(6) - 32(85)h_2^*(5) - 8(510)h_2^*(4) - 32(85)h_2^*(3) - \\
&8(85)h_2^*(2) + (8)85t_{2,1,6}^{**}(6) = t_{2,4,6}^\wedge(10), \\
t_{2,4,8}^\wedge(10) &= 32(6)h_2^*(7) + 8(11)h_2^*(6) - \\
&(32)(23)h_2^*(5) + 8(-43)h_2^*(4) + (32)(32)h_2^*(3) + (8)61h_2^*(2) - \\
&(32)19h_2^*(1) - (8)45h_2^*(0) + (8)45t_{2,1,8}^{**}(4) = \\
&192 + 8(11)h_2^*(6) - (32)(23)h_2^*(5) + 16h_2^*(4) + (32)77h_2^*(3) + \\
&8(331)h_2^*(2) + 32(26)h_2^*(1) = 192 + \\
&64(-33 - (16)23 + (77)96 - (331)45 + 13(608)) = 192 + \\
&64(-33 - 368 + 33(224) - (33)450 - 45 + 7904) = 192 + \\
&64(-452 - 33(226) + 7910) = 192 + 64(-(70)113 + 7910) = 192, \\
t_{2,4,5}^*(10) &= t_{2,4,5}^\vee(10) + t_{2,4,5}^\wedge(10) = -192 + 192 = 0,
\end{aligned}$$

$$\begin{aligned}
t_{2,4,6}^*(10) &= t_{2,4,6}^\vee(10) + t_{2,4,6}^\wedge(10) = -576 + 576 = 0, \\
t_{2,4,7}^*(10) &= t_{2,4,7}^\vee(10) + t_{2,4,7}^\wedge(10) = -576 + 576 = 0, \\
t_{2,4,8}^*(10) &= t_{2,4,8}^\vee(10) + t_{2,4,8}^\wedge(10) = -192 + 192 = 0, \\
t_{2,5,6}^*(10) &= t_{2,5,6}^\wedge(10) = 8(11)h_2^*(6) + \\
(32)(11)h_2^*(5) &+ 8(66)h_2^*(4) + (8)44h_2^*(3) + 88h_2^*(2) = \\
88t_{2,1,7}^{**}(5) &= 0, \\
t_{2,5,7}^*(10) &= t_{2,5,7}^\wedge(10) = 8(33)h_2^*(6) + \\
(32)(23)h_2^*(5) &+ 8(38)h_2^*(4) - 32(27)h_2^*(3) - 8(127)h_2^*(2) - \\
- 8(40)h_2^*(1) &+ 320t_{2,1,7}^{**}(5) = 8(33)h_2^*(6) + \\
(32)(33)h_2^*(5) &+ 8(198)h_2^*(4) + 32(33)h_2^*(3) + (8)33h_2^*(4) = \\
264t_{2,1,6}^{**}(6) &= 0,
\end{aligned}$$

$$\begin{aligned}
t_{2,5,8}^*(10) &= t_{2,5,8}^\wedge(10) = 8(33)h_2^*(6) + \\
(32)(13)h_2^*(5) &+ 8(-71)h_2^*(4) - 32(36)h_2^*(3) + 8(19)h_2^*(2) + \\
32(31)h_2^*(1) &+ 8(51)h_2^*(0) - 8(51)t_{2,1,8}^{**}(4) = \\
8(33)h_2^*(6) &+ (32)(13)h_2^*(5) + 8(-122)h_2^*(4) + 32(-87)h_2^*(3) + \\
8(-287)h_2^*(2) &- 8(80)h_2^*(1) + (8)80t_{2,1,7}^{**}(5) = \\
8(33)h_2^*(6) &+ (32)33(13)h_2^*(5) + 8(198)h_2^*(4) + 32(33)h_2^*(3) + \\
8(33)h_2^*(2) &= 264t_{2,1,6}^{**}(6) = 0,
\end{aligned}$$

$$\begin{aligned}
t_{2,6,7}^*(10) &= t_{2,6,7}^\wedge(10) = \\
32h_2^*(5) &+ 32(4)h_2^*(4) + 32(6)h_2^*(3) + 32(4)h_2^*(2) + \\
32h_2^*(1) &= 32t_{2,1,7}^{**}(5) = 0,
\end{aligned}$$

$$\begin{aligned}
t_{2,6,8}^*(10) &= t_{2,6,8}^\wedge(10) = \\
32(3)h_2^*(5) &+ (8)33h_2^*(4) + 32(3)h_2^*(3) - 8(42)h_2^*(2) + \\
32(-12)h_2^*(1) &+ 8(-15)h_2^*(0) + 8(15)t_{2,1,8}^{**}(4) = \\
32(3)h_2^*(5) &+ (8)48h_2^*(4) + 32(18)h_2^*(3) + 8(48)h_2^*(2) + \\
32(3)h_2^*(1) &= 96t_{2,1,7}^{**}(5) = 0,
\end{aligned}$$

$$\begin{aligned}
t_{2,7,8}^*(10) &= t_{2,7,8}^\wedge(10) = \\
8h_2^*(4) &+ 32h_2^*(3) + 48h_2^*(2) + \\
32h_2^*(1) &+ 8h_2^*(0) = 8t_{2,1,8}^{**}(4) = 0.
\end{aligned}$$

In view of (91), (94), (86), (89) in the Part 3,

$$t_{2,1,k}^*(11) = 0, \text{ for } k = 5, 6, 7, 8$$

$$t_{2,2,k}^*(11) = 0, \text{ for } k = 1, 6, 7, 8$$

$$t_{2,3,k}^*(11) = 0, \text{ for } k = 1, 2, 7, 8$$

$$t_{2,4,k}^*(11) = 0, \text{ for } k = 1, 2, 3, 8,$$

$$t_{2,5,k}^*(11) = 0, \text{ for } k = 1, 2, 3, 4,$$

$$t_{2,6,k}^*(11) = 0, \text{ for } k = 1, 2, 3, 4, 5,$$

$$t_{2,7,k}^*(11) = 0, \text{ for } k = 1, 2, 3, 4, 5, 6,$$

$$t_{2,i,k}^\vee(10) = 0$$

for $i = 6, \dots, 8; k = 1, \dots, 8$,

$$t_{2,1,1}^\vee(11) = (8)(119)h_2^*(7) + 32(19)h_2^*(6) +$$

$$8(45)h_2^*(5) + 32(6)h_2^*(4) + 88h_2^*(3) + 32h_2^*(2) +$$

$$8h_2^*(1) - 8t_{2,1,7}^{**}(5) = (8)(119)h_2^*(7) +$$

$$32(19)h_2^*(6) + 8(44)h_2^*(5) + 32(5)h_2^*(4) +$$

$$8(5)h_2^*(3) - (8)5t_{2,1,5}^{\wedge\wedge}(7) =$$

$$(8)(119)h_2^*(7) + (32)14h_2^*(6) + (8)14h_2^*(5) = 952,$$

$$t_{2,1,1}^\wedge(11) = -(8)(119)h_2^*(7) = -952,$$

$$t_{2,1,1}^*(11) = t_{2,1,1}^\vee(11) + t_{2,1,1}^\wedge(11) = 952 - 952 = 0,$$

$$t_{2,1,2}^\vee(11) = (8)(-1243)h_2^*(7) + 32(-202)h_2^*(6) +$$

$$8(-489)h_2^*(5) + 32(-67)h_2^*(4) +$$

$$8(-127)h_2^*(3) + 32(-12)h_2^*(2) +$$

$$8(-13)h_2^*(1) - 32h_2^*(0) + 32t_{2,1,8}^{**}(4) =$$

$$(8)(-1243)h_2^*(7) + 32(-202)h_2^*(6) +$$

$$8(-489)h_2^*(5) + 32(-66)h_2^*(4) +$$

$$8(-111)h_2^*(3) + 32(-6)h_2^*(2) + (8)3h_2^*(1) -$$

$$(8)3t_{2,1,7}^{**}(5) =$$

$$(8)(-1243)h_2^*(7) + 32(-202)h_2^*(6) +$$

$$8(-492)h_2^*(5) + 32(-69)h_2^*(4) +$$

$$8(-129)h_2^*(3) + 32(-9)h_2^*(2) +$$

$$(8)36t_{2,1,6}^{**}(6) =$$

$$(8)(-1243)h_2^*(7) + 32(-193)h_2^*(6) +$$

$$8(-348)h_2^*(5) + 32(-15)h_2^*(4) +$$

$$8(15)h_2^*(3) - (8)15t_{2,1,5}^{\wedge\wedge}(7) =$$

$$(8)(-1243)h_2^*(7) + 32(-208)h_2^*(6) +$$

$$8(-438)h_2^*(5) + 32(-30)h_2^*(4),$$

$$t_{2,1,2}^\wedge(11) = (8)(1243)h_2^*(7) + 32(100)h_2^*(6),$$

$$t_{2,1,2}^*(11) = t_{2,1,2}^\vee(11) + t_{2,1,2}^\wedge(11) =$$

$$32(-108)h_2^*(6) +$$

$$8(-438)h_2^*(5) + 32(-30)h_2^*(4) =$$

$$96((-36)(-8) - 8(146) + (10)88) = (96)8(36 - 146 + 110) = 0,$$

$$t_{2,1,3}^\vee(11) = (8)(-113)h_2^*(7) + 32(-11)h_2^*(6) +$$

$$8(-3)h_2^*(5) + 32(4)h_2^*(4) +$$

$$8(19)h_2^*(3) + 32(3)h_2^*(2) +$$

$$8h_2^*(1) - (8)8h_2^*(0) + 8(8)2, 1, 8^{**}(4) =$$

$$(8)(-113)h_2^*(7) + 32(-11)h_2^*(6) +$$

$$8(-3)h_2^*(5) + 32(6)h_2^*(4) +$$

$$8(51)h_2^*(3) + 32(15)h_2^*(2) +$$

$$(8)(33)h_2^*(1) = (8)8h_2^*(5) + 32(6)h_2^*(4) +$$

$$8(51)h_2^*(3) + 32(15)h_2^*(2) +$$

$$(8)33h_2^*(1),$$

$$t_{2,1,3}^\wedge(11) = (8)(113)h_2^*(7) + 32(-255)h_2^*(6) +$$

$$8(-455)h_2^*(5) = (8)(113)h_2^*(7) + 8(-200)h_2^*(5) =$$

$$t_{2,1,3}^*(11) = t_{2,1,3}^\vee(11) + t_{2,1,3}^\wedge(11) =$$

$$24(-64)h_2^*(5) + (24)8h_2^*(4) + (24)17h_2^*(3) + (24)20h_2^*(2) +$$

$$(24)11h_2^*(1) - (24)11t_{2,1,7}^{**}(5) =$$

$$24(-75)h_2^*(5) + 24(-36)h_2^*(4) + 24(-49)h_2^*(3) +$$

$$24(-24)h_2^*(2) = 576(-100 + 132 - (49)8 + 360) =$$

$$576(-100 + 140 - 400 + 360) = 0,$$

$$t_{2,1,4}^\wedge(11) = (8)(-545)h_2^*(7) + 32(-91)h_2^*(6) +$$

$$8(249)h_2^*(5) + 32(44)h_2^*(4),$$

$$t_{2,1,4}^\vee(11) = (8)(545)h_2^*(7) + 32(91)h_2^*(6) +$$

$$\begin{aligned}
& 8(227)h_2^*(5) + 32(32)h_2^*(4) + \\
& 8(61)h_2^*(3) + 32(5)h_2^*(2) + \\
& -8h_2^*(1) - (8)8h_2^*(0)
\end{aligned}$$

$$\begin{aligned}
t_{2,1,4}^*(11) = & 32(119)h_2^*(5) + 32(76)h_2^*(4) + \\
& 8(61)h_2^*(3) + 32(5)h_2^*(2) + \\
& -8h_2^*(1) - (8)8h_2^*(0) = \\
& 48(119)h_2^*(5) + 32(76)h_2^*(4) + \\
& 8(61)h_2^*(3) + 32(5)h_2^*(2) - 8h_2^*(1) + 8t_{2,1,7}h^{**}(5) = \\
& (8)715h_2^*(5) + (32)77h_2^*(4) + 8(67)h_2^*(3) + (32)6h_2^*(2) = \\
& (8)32(715 - 847 + (67)6 - 270) = (8)(32)(-132 + 402 - 270) = 0.
\end{aligned}$$

$$t_{2,2,2}^\wedge(11) = -(8)(304)h_2^*(7) - 32(19)h_2^*(5),$$

$$\begin{aligned}
t_{2,2,2}^\vee(11) = & (8)(304)h_2^*(7) + 32(45)h_2^*(6) + \\
& 8(96)h_2^*(5) + 32(11)h_2^*(4) + \\
& 8(16)h_2^*(3) + 32h_2^*(2),
\end{aligned}$$

$$\begin{aligned}
t_{2,2,2}^*(11) = & 32(26)h_2^*(6) + \\
& 8(96)h_2^*(5) + 32(11)h_2^*(4) + \\
& 8(16)h_2^*(3) + 32h_2^*(2) - 32t_{2,1,6}^{**}(6) = \\
& 32(25)h_2^*(6) + (32)4(5)h_2^*(5) + (32)5h_2^*(4) = \\
& 160(-40 + 128 - 88) = 0,
\end{aligned}$$

$$\begin{aligned}
t_{2,2,3}^\wedge(11) = & (8)(642)h_2^*(7) + 32(202)h_2^*(6) + \\
& 8(259)h_2^*(5) = (8)(642)h_2^*(7) + (8)32(259 - 202)
\end{aligned}$$

$$\begin{aligned}
t_{2,2,3}^\vee(11) = & (8)(-642)h_2^*(7) + 32(-99)h_2^*(6) + \\
& 8(-222)h_2^*(5) + 32(-27)h_2^*(4) + \\
& 8(-42)h_2^*(3) + 32(-3)h_2^*(2) + 8(-6)h_2^*(1),
\end{aligned}$$

$$\begin{aligned}
t_{2,2,3}^*(11) = & (156)8h_2^*(5) + \\
& 8(-222)h_2^*(5) + 32(-27)h_2^*(4) + \\
& 8(-42)h_2^*(3) + 32(-3)h_2^*(2) + 8(-6)h_2^*(1) + \\
& 8(6)t_{2,1,7}^{**}(5) = 8(-60)h_2^*(5) + 32(-21)h_2^*(4) + \\
& 8(-6)h_2^*(3) + 32(3)h_2^*(2) = (8)96(-20 + 77 - 12 - 45) = 0,
\end{aligned}$$

$$t_{2,2,4}^\wedge(11) = (8)(996)h_2^*(7) + 32(11)h_2^*(6) + \\ 8(-682)h_2^*(5) + 32(-75)h_2^*(4),$$

$$t_{2,2,4}^\vee(11) = (8)(-996)h_2^*(7) + 32(-148)h_2^*(6) + \\ 8(-316)h_2^*(5) + 32(-36)h_2^*(4) + \\ 8(-52)h_2^*(3) + 32(-4)h_2^*(2) + 8(-12)h_2^*(1),$$

$$t_{2,2,4}^*(11) = 32(-137)h_2^*(6) + \\ 8(-998)h_2^*(5) + 32(-219)h_2^*(4) + \\ 8(-52)h_2^*(3) + 32(-4)h_2^*(2) + 8(-12)h_2^*(1) = \\ 8(32)(137 - 998 + 1221 - 312 + 180 - 228) = (8)32(1538 - 1538) = 0,$$

$$t_{2,2,5}^\vee(11) = (8)(-169)h_2^*(7) + 32(-23)h_2^*(6) + \\ 8(-43)h_2^*(5) + 32(-4)h_2^*(4) + \\ 8(-5)h_2^*(3) + 32(-1)h_2^*(2) + 8(-7)h_2^*(1),$$

$$t_{2,2,4}^\wedge(11) = (8)(169)h_2^*(7) + 32(-91)h_2^*(6) + \\ 8(-227)h_2^*(5) + 32(44)h_2^*(4) + 8(119)h_2^*(3),$$

$$t_{2,2,5}^*(11) = 32(-114)h_2^*(6) + \\ 8(-270)h_2^*(5) + 32(40)h_2^*(4) + \\ 8(114)h_2^*(3) + 32(-1)h_2^*(2) + 8(-7)h_2^*(1) = \\ (32)8(114 - 270 - 440 + 684 + 45 - 133) = 128(843 - 843) = 0,$$

$$t_{2,3,3}^\wedge(11) = (8)(-270)h_2^*(7) + 32(-45)h_2^*(6) + \\ 8(-45)h_2^*(5),$$

$$t_{2,3,3}^\vee(11) = (8)(270)h_2^*(7) + 32(36)h_2^*(6) + \\ 8(66)h_2^*(5) + 32(6)h_2^*(4) + \\ (48)h_2^*(3),$$

$$t_{2,3,3}^*(11) = 32(-9)h_2^*(6) + \\ 8(21)h_2^*(5) + 32(6)h_2^*(4) + \\ (48)h_2^*(3) = (32)8(9 + 21 - 66 + 36) = 0$$

$$t_{2,3,4}^\wedge(11) = (8)(-186)h_2^*(7) + 32(99)h_2^*(6) + \\ 8(489)h_2^*(5) + (32)(39)h_2^*(4),$$

$$\begin{aligned}
t_{2,3,4}^\vee(11) = & (8)(186)h_2^*(7) + 32(23)h_2^*(6) + \\
& 8(38)h_2^*(5) + 32(3)h_2^*(4) + \\
& (16)h_2^*(3) - 32h_2^*(2),
\end{aligned}$$

$$\begin{aligned}
t_{2,3,4}^*(11) = & 32(122)h_2^*(6) + \\
& 8(527)h_2^*(5) + 32(42)h_2^*(4) + \\
& (16)h_2^*(3) - 32h_2^*(2) + \\
= & (32)8(-122 + 527 - 462 + 12 + 45) = 0,
\end{aligned}$$

$$\begin{aligned}
t_{2,3,5}^\wedge(11) = & (8)(253)h_2^*(7) + 32(148)h_2^*(6) + \\
& 8(3)h_2^*(5) + (32)(-107)h_2^*(4) + 8(-185)h_2^*(3),
\end{aligned}$$

$$\begin{aligned}
t_{2,3,5}^\vee(11) = & (8)(-253)h_2^*(7) + 32(-36)h_2^*(6) + \\
& 8(-71)h_2^*(5) + 32(-7)h_2^*(4) + \\
& 8(-9)h_2^*(3) - 64h_2^*(2),
\end{aligned}$$

$$\begin{aligned}
t_{2,3,5}^*(11) = & 32(112)h_2^*(6) + \\
& 8(-68)h_2^*(5) + 32(-114)h_2^*(4) + \\
& 8(-194)h_2^*(3) - 64h_2^*(2) + \\
= & (32)8(-112 - 68 + 1254 - 1164 + 90) = 256(180 - 180) = 0,
\end{aligned}$$

$$\begin{aligned}
t_{2,3,6}^\wedge(11) = & (8)(169)h_2^*(7) + 32(23)h_2^*(6) + \\
& 8(-227)h_2^*(5) + (32)(-32)h_2^*(4) + 8(119)h_2^*(3) + \\
& (32)19h_2^*(2),
\end{aligned}$$

$$\begin{aligned}
t_{2,3,6}^\vee(11) = & (8)(-169)h_2^*(7) + 32(-23)h_2^*(6) + \\
& 8(-43)h_2^*(5) + 32(-4)h_2^*(4) + \\
& 8(-5)h_2^*(3) - 32h_2^*(2),
\end{aligned}$$

$$\begin{aligned}
t_{2,3,6}^*(11) = & 8(-270)h_2^*(5) + 32(-36)h_2^*(4) + \\
& 8(114)h_2^*(3) + 32(18)h_2^*(2) = \\
(32)8(-270 + 396 + 684 - 810) = & 256(1080 - 1080) = 0,
\end{aligned}$$

$$\begin{aligned}
t_{2,4,4}^\wedge(11) = & (8)(-96)h_2^*(7) + 32(-36)h_2^*(6) + \\
& 8(-96)h_2^*(5) + (32)(-6)h_2^*(4),
\end{aligned}$$

$$\begin{aligned}
t_{2,4,4}^\vee(11) = & (8)(96)h_2^*(7) + 32(11)h_2^*(6) + \\
& 8(16)h_2^*(5) + 32h_2^*(4),
\end{aligned}$$

$$\begin{aligned}
t_{2,4,4}^*(11) &= 32(-25)h_2^*(6) + \\
8(-80)h_2^*(5) + 32(-5)h_2^*(4) &= \\
-160t_{2,4,4}^{**}(11),
\end{aligned}$$

where

$$t_{2,4,4}^{**}(11) = 5h_2^*(6) + 4h_2^*(5) + h_2^*(4) = -40 + 128 - 88 = 0,$$

$$\begin{aligned}
t_{2,4,5}^\wedge(11) &= (8)(-203)h_2^*(7) + 32(-23)h_2^*(6) + \\
8(222)h_2^*(5) + (32)(67)h_2^*(4) + (8)85h_2^*(3)
\end{aligned}$$

$$\begin{aligned}
t_{2,4,5}^\vee(11) &= (8)(203)h_2^*(7) + 32(23)h_2^*(6) + \\
8(33)h_2^*(5) + 32(2)h_2^*(4) - 8h_2^*(3),
\end{aligned}$$

$$\begin{aligned}
t_{2,4,5}^*(11) &= (8)(203)h_2^*(7) + 32(23)h_2^*(6) + \\
8(255)h_2^*(5) + 32(69)h_2^*(4) + (8)84h_2^*(3) &= \\
32(8)(255 - 759 + 504) = 0,
\end{aligned}$$

$$\begin{aligned}
t_{2,4,6}^\wedge(11) &= (8)(-118)h_2^*(7) + 32(36)h_2^*(6) + \\
8(316)h_2^*(5) + (32)(-4)h_2^*(4) + (8)(-246)h_2^*(3) - (32)26h_2^*(2),
\end{aligned}$$

$$\begin{aligned}
t_{2,4,6}^\vee(11) &= (8)(118)h_2^*(7) + 32(13)h_2^*(6) + \\
8(18)h_2^*(5) + 32h_2^*(4) - 8(2)h_2^*(3),
\end{aligned}$$

$$\begin{aligned}
t_{2,4,6}^*(11) &= 32(49)h_2^*(6) + 8(334)h_2^*(5) + \\
(32)(-3)h_2^*(4) + (8)(-248)h_2^*(3) - (32)26h_2^*(2) &= \\
(8)32(-49 + 334 + 33 - 1488 + 1170) = 256(318 - 318) = 0,
\end{aligned}$$

$$\begin{aligned}
t_{2,4,7}^\wedge(11) &= (8)(-11)h_2^*(7) + 32(23)h_2^*(6) + \\
8(43)h_2^*(5) + (32)(-32)h_2^*(4) + (8)(-61)h_2^*(3) + \\
(32)19h_2^*(2) + (8)45h_2^*(1) &= \\
(8)(-11)h_2^*(7) + 32(23)h_2^*(6) + \\
8(43)h_2^*(5) + (32)(-32)h_2^*(4) + (8)(-61)h_2^*(3),
\end{aligned}$$

$$\begin{aligned}
t_{2,4,7}^\vee(11) &= (8)(11)h_2^*(7) + 32h_2^*(6) + \\
8h_2^*(5) + 32(0)h_2^*(4) - 8h_2^*(3),
\end{aligned}$$

$$\begin{aligned}
t_{2,4,7}^*(11) &= 32(24)h_2^*(6) + 8(44)h_2^*(5) + \\
(32)(-32)h_2^*(4) + (8)(-62)h_2^*(3) = 256(-24 + 44 + 352 - 372) = 0,
\end{aligned}$$

$$\begin{aligned}
t_{2,5,5}^\wedge(11) &= (8)(-11)h_2^*(7) + 32(-11)h_2^*(6) + \\
8(-66)h_2^*(5) + (32)(-11)h_2^*(4) + (8)(-11)h_2^*(3) &= \\
(8)(-11)h_2^*(7) + 88t_{2,1,5}^{\wedge\wedge}(7) &= (8)(-11)h_2^*(7) \\
t_{2,5,5}^\vee(11) &= (8)(11)h_2^*(7) + 32h_2^*(6) + \\
8h_2^*(5) &= (8)(11)h_2^*(7), \quad t_{2,5,5}^*(11) = -88 + 88 = 0.
\end{aligned}$$

§4.4. The matrix $W_2^\sim(z; \nu)$.

In view of (10) and results of the part 3,

$$V_2^\sim(0, \nu) = \nu^{-7} 8(119) \begin{pmatrix} 0 & 0 & 0 & 0 & \nu^4 & 3\nu^5 & 3\nu^6 & \nu^7 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix} = \\
\sum_{s=0}^{14} \nu^{-s} V_2^{\sim\vee}(0, s),$$

where

$$V_2^{\sim\vee}(0, 0) = (8)119e_{8,1,8},$$

$$V_2^{\sim\vee}(0, 1) = (8)357e_{8,1,7},$$

$$V_2^{\sim\vee}(0, 2) = (8)357e_{8,1,6},$$

$$V_2^{\sim\vee}(0, 3) = (8)119e_{8,1,5},$$

$$V_2^{\sim\vee}(0, s) = 0E_8 \text{ for } s = 4, \dots, 14,$$

$$V_2^\sim(1, \nu) =$$

$$\nu^{-7} 32 \begin{pmatrix} 0 & 0 & 0 & -119\nu^3 & -257\nu^4 & -157\nu^5 & -19\nu^6 & 0 \\ 0 & 0 & 0 & 0 & -19\nu^3 & -57\nu^4 & -57\nu^5 & -19\nu^6 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix} = \\
\sum_{s=0}^{14} \nu^{-s} V_2^{\sim\vee}(1, s),$$

where

$$V_2^{\sim\vee}(1, 1) = (32)(-19)e_{8,1,7} + (32)(-19)e_{8,2,8},$$

$$V_2^{\sim \vee}(1, 2) = (32)(-157)e_{8,1,6} + (32)(-57)e_{8,2,7},$$

$$V_2^{\sim \vee}(1, 3) = (32)(-257)e_{8,1,5} + (32)(-57)e_{8,2,6},$$

$$V_2^{\sim \vee}(1, 4) = (32)(-119)e_{8,1,4} + (32)(-19)e_{8,2,5},$$

$$V_2^{\sim \vee}(1, s) = 0E_8 \text{ for } s = 0, 5, \dots, 14,$$

$$V_2^{\sim}(2, \nu) =$$

$$\nu^{-7} 8 \begin{pmatrix} 0 & 0 & 714\nu^2 & 542\nu^3 & -603\nu^4 & -431\nu^5 & 0 & 0 \\ 0 & 0 & 0 & 304\nu^2 & 653\nu^3 & 394\nu^4 & 45\nu^5 & 0 \\ 0 & 0 & 0 & 0 & 45\nu^2 & 135\nu^3 & 135\nu^4 & 45\nu^5 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix} =$$

$$\sum_{s=0}^{14} \nu^{-s} V_2^{\sim \vee}(2, s),$$

where

$$V_2^{\sim \vee}(2, 2) = (8)(-431)e_{8,1,6} + (8)45e_{8,2,7} + (8)45e_{8,3,8},$$

$$V_2^{\sim \vee}(2, 3) = (8)(-603)e_{8,1,5} + (8)394e_{8,2,6} + (8)135e_{8,3,7},$$

$$V_2^{\sim \vee}(2, 4) = (8)542e_{8,1,4} + (8)653e_{8,2,5} + (8)135e_{8,3,6},$$

$$V_2^{\sim \vee}(2, 5) = (8)714e_{8,1,3} + (8)304e_{8,2,4} + (8)45e_{8,3,5},$$

$$V_2^{\sim \vee}(2, s) = 0E_8 \text{ for } s = 0, 1, 6, \dots, 14,$$

$$V_2^{\sim}(3, \nu) = \nu^{-7} 32 \times$$

$$\begin{pmatrix} 0 & -119\nu & 243\nu^2 & 388\nu^3 & 70\nu^4 & 0 & 0 & 0 \\ 0 & 0 & -114\nu & -83\nu^2 & 101\nu^3 & 70\nu^4 & 0 & 0 \\ 0 & 0 & 0 & -45\nu & -96\nu^2 & -57\nu^3 & -6\nu^4 & 0 \\ 0 & 0 & 0 & 0 & -6\nu & -18\nu^2 & -18\nu^3 & -6\nu^4 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix} =$$

$$\sum_{s=0}^{14} \nu^{-s} V_2^{\sim \vee}(3, s),$$

where

$$V_2^{\sim \vee}(3, 3) = (32)70e_{8,1,5} +$$

$$(32)70e_{8,2,6} + (32)(-6)e_{8,3,7} + (32)(-6)e_{8,4,8},$$

$$V_2^{\sim \vee}(3, 4) = (32)388(e_{8,1,4} +$$

$$(32)101e_{8,2,5} + (32)(-57)e_{8,3,6} + (32)(-18)e_{8,4,7},$$

$$V_2^{\sim \vee}(3, 5) = (32)243e_{8,1,3} +$$

$$(32)(-83)e_{8,2,4} + (32)(-96)e_{8,3,5} + (32)(-18)e_{8,4,6},$$

$$V_2^{\sim \vee}(3, 6) = (32)(-119)e_{8,1,2} +$$

$$(32)(-114)e_{8,2,3} + (32)(-45)e_{8,3,4} + (32)(-6)e_{8,4,5},$$

$$V_2^{\sim \vee}(3, s) = 0E_8 \text{ for } s = 0, 1, 2, 7, \dots, 14,$$

$$V_2^{\sim}(4, \nu) = \nu^{-7} 8 \times$$

$$\left(\begin{array}{ccccccc} 119 & -1243\nu & -113\nu^2 & 545\nu^3 & 0 & 0 & 0 \\ 0 & 304 & -642\nu & -996\nu^2 & -169\nu^3 & 0 & 0 \\ 0 & 0 & 270 & 186\nu & -253\nu^2 & -169\nu^3 & 0 \\ 0 & 0 & 0 & 96 & 203\nu & 118\nu^2 & 11\nu^3 \\ 0 & 0 & 0 & 0 & 11 & 33\nu & 33\nu^2 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{array} \right) =$$

$$\sum_{s=0}^{14} \nu^{-s} V_2^{\sim \vee}(4, s),$$

where

$$V_2^{\sim \vee}(4, 4) = (8)545e_{8,1,4} + (8)(-169)e_{8,2,5} +$$

$$(8)(-169)e_{8,3,6} + (8)(11)e_{8,4,7} + (8)(11)e_{8,5,8},$$

$$V_2^{\sim \vee}(4, 5) = (8)(-113)e_{8,1,3} + (8)(-996)e_{8,2,4} +$$

$$(8)(-253)e_{8,3,5} + (8)(118)e_{8,4,6} + (8)(33)e_{8,5,7},$$

$$V_2^{\sim \vee}(4, 6) = (8)(-1243)e_{8,1,2} + (8)(-642)e_{8,2,3} +$$

$$(8)(186)e_{8,3,4} + (8)(203)e_{8,4,5} + (8)(33)e_{8,5,6},$$

$$V_2^{\sim \vee}(4, 7) = (8)(119)e_{8,1,1} + (8)(304)e_{8,2,2} +$$

$$(8)(270)e_{8,3,3} + (8)(96)e_{8,4,4} + (8)(11)e_{8,5,5},$$

$$V_2^{\sim \vee}(4, s) = 0E_8 \text{ for } s = 0, \dots, 3, 8, \dots, 14,$$

$$V_2^{\sim}(5, \nu) = \nu^{-7} \times$$

$$32 \left(\begin{array}{ccccccc} 100 & -255\nu & -91\nu^2 & 0 & 0 & 0 & 0 \\ -19\nu^{-1} & 202 & 11\nu & -91\nu^2 & 0 & 0 & 0 \\ 0 & -45\nu^{-1} & 99 & 148\nu & 23\nu^2 & 0 & 0 \\ 0 & 0 & -36\nu^{-1} & -23 & 36\nu & 23\nu^2 & 0 \\ 0 & 0 & 0 & -11\nu^{-1} & -23 & -13\nu & -1\nu^2 \\ 0 & 0 & 0 & 0 & -1\nu^{-1} & -3 & -3\nu \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{array} \right) =$$

$$\sum_{s=0}^{14} \nu^{-s} V_2^{\sim \vee}(5, s),$$

where

$$V_2^{\sim \vee}(5, 5) = (32)(-91)e_{8,1,3} + (32)(-91)e_{8,2,4} +$$

$$(32)(23)e_{8,3,5} + (32)(23)e_{8,4,6} +$$

$$(32)(-1)e_{8,5,7} + (32)(-1)e_{8,6,8},$$

$$V_2^{\sim \vee}(5, 6) = (32)(-255)(e_{8,1,2} + (32)11e_{8,2,3} +$$

$$(32)(148)e_{8,3,4} + (32)(36)e_{8,4,5} +$$

$$(32)(-13)e_{8,5,6} + (32)(-3)e_{8,6,7},$$

$$V_2^{\sim \vee}(5, 7) = (32)100e_{8,1,1} + (32)(202)e_{8,2,2} +$$

$$(32)(99)e_{8,3,3} + (32)(-23)e_{8,4,4} +$$

$$(32)(-23)e_{8,5,5} + (32)(-3)e_{8,6,6},$$

$$V_2^{\sim \vee}(5, 8) = (32)(-19)e_{8,2,1} + (32)(-45)e_{8,3,2} +$$

$$(32)(-36)e_{8,4,3} + (32)(-11)e_{8,5,4} + (32)(-1)e_{8,6,5},$$

$$V_2^{\sim \vee}(5, s) = 0E_8 \text{ for } s = 0, \dots, 4, 9, \dots, 14,$$

$$V_2^{\sim}(6, \nu) = \nu^{-7} \times$$

$$8 \begin{pmatrix} 455 & -249\nu & 0 & 0 & 0 & 0 & 0 & 0 \\ -259\nu^{-1} & 682 & 227\nu & 0 & 0 & 0 & 0 & 0 \\ 45\nu^{-2} & -489\nu^{-1} & -3 & 227\nu & 0 & 0 & 0 & 0 \\ 0 & 96\nu^{-2} & -222\nu^{-1} & -316 & -43\nu & 0 & 0 & 0 \\ 0 & 0 & 66\nu^{-2} & 38\nu^{-1} & -71 & -43\nu & 0 & 0 \\ 0 & 0 & 0 & 16\nu^{-2} & 33\nu^{-1} & 18 & 1\nu & 0 \\ 0 & 0 & 0 & 0 & 1\nu^{-2} & 3\nu^{-1} & 3 & 1\nu \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix} =$$

$$\sum_{s=0}^{14} \nu^{-s} V_2^{\sim \vee}(6, s),$$

where

$$V_2^{\sim \vee}(6, 6) = (8)(-249)e_{8,1,2} + (8)(227)e_{8,2,3} +$$

$$(8)(227)e_{8,3,4} + (8)(-43)e_{8,4,5} +$$

$$(8)(-43)e_{8,5,6} + (8)e_{8,6,7} + (8)e_{8,7,8},$$

$$V_2^{\sim \vee}(6, 7) = (8)(455)(e_{8,1,1} + (8)682e_{8,2,2} +$$

$$(8)(-3)e_{8,3,3} + (8)(-316)e_{8,4,4} +$$

$$(8)(-71)e_{8,5,5} + (8)(18)e_{8,6,6} + (8)3e_{8,7,7},$$

$$V_2^{\sim \vee}(6, 8) = (8)-259(e_{8,2,1} + (8)(-489)e_{8,3,2} +$$

$$(8)(-222)e_{8,4,3} + (8)(38)e_{8,5,4} + (8)(33)e_{8,6,5} +$$

$$(8)(3)e_{8,7,6},$$

$$V_2^{\sim \vee}(6, 9) = (8)(45)e_{8,3,1} + (8)(96)e_{8,4,2} +$$

$$(8)(66)e_{8,5,3} + (8)(16)e_{8,6,4} + (8)e_{8,7,5},$$

$$V_2^{\sim \vee}(6, s) = 0E_8 \text{ for } s = 0, \dots, 5, 10, \dots, 14,$$

$$V_2^{\sim}(7, \nu) = \nu^{-7}32 \times$$

$$\begin{pmatrix} 44 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -75\nu^{-1} & 44 & 0 & 0 & 0 & 0 & 0 & 0 \\ 39\nu^{-2} & -107\nu^{-1} & -32 & 0 & 0 & 0 & 0 & 0 \\ -6\nu^{-3} & 67\nu^{-2} & -4\nu^{-1} & -32 & 0 & 0 & 0 & 0 \\ 0 & -11\nu^{-3} & 27\nu^{-2} & 36\nu^{-1} & 4 & 0 & 0 & 0 \\ 0 & 0 & -6\nu^{-3} & -3\nu^{-2} & 7\nu^{-1} & 4 & 0 & 0 \\ 0 & 0 & 0 & -\nu^{-3} & -2\nu^{-2} & -\nu^{-1} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix} = \sum_{s=0}^{14} \nu^{-s} V_2^{\sim \vee}(7, s),$$

where

$$V_2^{\sim \vee}(7, 7) = (32)(44)e_{8,1,1} + (32)(44)e_{8,2,2} +$$

$$(32)(-32)e_{8,3,3} + (32)(-32)e_{8,4,4} +$$

$$(32)(4)e_{8,5,5} + (32)(4)e_{8,6,6},$$

$$V_2^{\sim \vee}(7, 8) = (32)(-75)(e_{8,2,1} + (32)(-107)e_{8,3,2} +$$

$$(32)(-4)e_{8,4,3} + (32)(36)e_{8,5,4} +$$

$$(32)(7)e_{8,6,5} + (32)(-1)e_{8,7,6},$$

$$V_2^{\sim \vee}(7, 9) = (32)39e_{8,3,1} + (32)(67)e_{8,4,2} +$$

$$(32)(27)e_{8,5,3} + (32)(-3)e_{8,6,4} +$$

$$(32)(-2)e_{8,7,5},$$

$$V_2^{\sim \vee}(7, 10) = (32)(-6)e_{8,4,1} + (32)(-11)e_{8,5,2} +$$

$$(32)(-6)e_{8,6,3} + (32)(-1)e_{8,7,4},$$

$$V_2^{\sim \vee}(7, s) = 0E_8 \text{ for } s = 0, \dots, 6, 11, \dots, 14,$$

$$V_2^{\sim}(8, \nu) = \nu^{-7} \times$$

$$8 \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -119\nu^{-1} & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 185\nu^{-2} & -119\nu^{-1} & 0 & 0 & 0 & 0 & 0 & 0 \\ -85\nu^{-3} & 246\nu^{-2} & 61\nu^{-1} & 0 & 0 & 0 & 0 & 0 \\ 11\nu^{-4} & -127\nu^{-3} & 19\nu^{-2} & 61\nu^{-1} & 0 & 0 & 0 & 0 \\ 0 & 16\nu^{-4} & -42\nu^{-3} & -52\nu^{-2} & -5\nu^{-1} & 0 & 0 & 0 \\ 0 & 0 & 6\nu^{-4} & 2\nu^{-3} & -9\nu^{-2} & -5\nu^{-1} & 0 & 0 \\ 0 & 0 & 0 & 0 & -\nu^{-3} & -2\nu^{-2} & -\nu^{-1} & 0 \end{pmatrix} = \sum_{s=0}^{14} \nu^{-s} V_2^{\sim \vee}(8, s),$$

where

$$V_2^{\sim \vee}(8, 8) = (8)(-119)e_{8,2,1} + (8)(-119)e_{8,3,2} +$$

$$(8)(61)e_{8,4,3} + (8)(61)e_{8,5,4} +$$

$$(8)(-5)e_{8,6,5} + (8)(-5)e_{8,7,6} + (8)(-1)e_{8,8,7},$$

$$V_2^{\sim \vee}(8, 9) = (8)(185)e_{8,3,1} + (8)246e_{8,4,2} +$$

$$(8)(19)e_{8,5,3} + (8)(-52)e_{8,6,4} +$$

$$(8)(-9)e_{8,7,5} + (8)(-2)e_{8,8,6},$$

$$V_2^{\sim\vee}(8, 10) = (8)(-85)e_{8,4,1} + (8)(-127)e_{8,5,2} +$$

$$(8)(-42)e_{8,6,3} + (8)(2)e_{8,7,4} + (8)(-1)e_{8,8,5},$$

$$V_2^{\sim\vee}(8, 11) = (8)(11)e_{8,5,1} + (8)(16)e_{8,6,2} +$$

$$(8)(6)e_{8,7,3},$$

$$V_2^{\sim\vee}(8, s) = 0E_8 \text{ for } s = 0, \dots, 7, 12, \dots, 14,$$

$$V_2^{\sim}(9, \nu) = \nu^{-7} \times$$

$$32 \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 19\nu^{-2} & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -26\nu^{-3} & 19\nu^{-2} & 0 & 0 & 0 & 0 & 0 & 0 \\ 10\nu^{-4} & -31\nu^{-3} & -5\nu^{-2} & 0 & 0 & 0 & 0 & 0 \\ -1\nu^{-5} & 12\nu^{-4} & -3\nu^{-3} & -5\nu^{-2} & 0 & 0 & 0 & 0 \\ 0 & -1\nu^{-5} & 3\nu^{-4} & 4\nu^{-3} & 1\nu^{-2} & 0 & 0 & 0 \\ 0 & 0 & 0 & 1\nu^{-4} & 2\nu^{-3} & 1\nu^{-2} & 0 & 0 \end{pmatrix} =$$

$$\sum_{s=0}^{14} \nu^{-s} V_2^{\sim\vee}(9, s),$$

where

$$V_2^{\sim\vee}(9, 9) = (32)(19)e_{8,3,1} + (32)(19)e_{8,4,2} +$$

$$(32)(-5)e_{8,5,3} + (32)(-5)e_{8,6,4} +$$

$$32e_{8,7,5} + 32e_{8,8,6},$$

$$V_2^{\sim\vee}(9, 10) = (32)(-26)(e_{8,4,1} + (32)(-31)e_{8,5,2} +$$

$$(32)(-3)e_{8,6,3} + (32)(4)e_{8,7,4} + (32)(2)e_{8,8,5},$$

$$V_2^{\sim\vee}(9, 11) = (32)10e_{8,5,1} + (32)(12)e_{8,6,2} +$$

$$(32)(3)e_{8,7,3} + 32e_{8,8,4},$$

$$V_2^{\sim\vee}(9, 12) = (32)(-1)e_{8,6,1} + (32)(-1)e_{8,7,2},$$

$$V_2^{\sim\vee}(9, s) = 0E_8 \text{ for } s = 0, \dots, 8, 13, 14,$$

$$V_2^{\sim}(10, \nu) = \nu^{-7} \times$$

$$8 \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -45\nu^{-3} & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 51\nu^{-4} & -45\nu^{-3} & 0 & 0 & 0 & 0 & 0 & 0 \\ -15\nu^{-5} & 50\nu^{-4} & -1\nu^{-3} & 0 & 0 & 0 & 0 & 0 \\ 1\nu^{-6} & -13\nu^{-5} & 1\nu^{-4} & -1\nu^{-3} & 0 & 0 & 0 & 0 \\ 0 & 0 & -6\nu^{-5} & -12\nu^{-4} & -7\nu^{-3} & 0 & 0 & 0 \end{pmatrix} =$$

$$\sum_{s=0}^{14} \nu^{-s} V_2^{\sim \vee}(10, s),$$

where

$$\begin{aligned} V_2^{\sim \vee}(10, 10) &= 8(-45)e_{8,4,1} + 8(-45)e_{8,5,2} + \\ &\quad 8(-1)e_{8,6,3} + 8(-1)e_{8,7,4} + 8(-7)e_{8,8,5}, \\ V_2^{\sim \vee}(10, 11) &= 8(51)e_{8,5,1} + (8)50e_{8,6,2} + 8e_{8,7,3} + \\ &\quad 8(-12)e_{8,8,4}, \\ V_2^{\sim \vee}(10, 12) &= 8(-15)e_{8,6,1} + 8(-13)e_{8,7,2} + 8(-6)e_{8,8,3}, \\ V_2^{\sim \vee}(10, 13) &= 8e_{8,7,1}, \\ V_2^{\sim \vee}(10, s) &= 0E_8 \text{ for } s = 0, \dots, 9, 14, \end{aligned}$$

$$V_2^{\sim}(11, \nu) = \nu^{-7} \left(\begin{array}{cccccccc} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 192\nu^{-5} & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -160\nu^{-6} & 192\nu^{-5} & 0 & 0 & 0 & 0 & 0 & 0 \\ 32\nu^{-7} & -96\nu^{-6} & 64\nu^{-5} & 0 & 0 & 0 & 0 & 0 \\ 0 & 32\nu^{-7} & 64\nu^{-6} & 64\nu^{-5} & 0 & 0 & 0 & 0 \end{array} \right) =$$

$$\sum_{s=0}^{14} \nu^{-s} V_2^{\sim \vee}(11, s),$$

where

$$\begin{aligned} V_2^{\sim \vee}(11, 11) &= (32)(6)e_{8,5,1} + (32)(6)e_{8,6,2} + \\ &\quad (32)(2)e_{8,7,3} + (32)(2)e_{8,8,4}, \\ V_2^{\sim \vee}(11, 12) &= (32)(-5)(e_{8,6,1} + (32)(-3)e_{8,7,2} + \\ &\quad (32)(2)e_{8,8,3}, \\ V_2^{\sim \vee}(11, 13) &= 32e_{8,7,1} + 32e_{8,8,2}, \\ V_2^{\sim \vee}(11, s) &= 0E_8 \text{ for } s = 0, \dots, 10, 14, \end{aligned}$$

$$V_2^*(12) = \nu^{-7} \left(\begin{array}{cccccccc} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -88\nu^{-5} & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 40\nu^{-6} & -88\nu^{-5} & 0 & 0 & 0 & 0 & 0 & 0 \\ -8\nu^{-7} & -16\nu^{-6} & -56\nu^{-5} & 0 & 0 & 0 & 0 & 0 \end{array} \right) =$$

$$\sum_{s=0}^{14} \nu^{-s} V_2^{\sim \vee}(12, s),$$

where

$$\begin{aligned} V_2^{\sim\vee}(12, 12) &= 8(-11)e_{8,6,1} + 8(-11)e_{8,7,2} + 8(-7)e_{8,8,3}, \\ V_2^{\sim\vee}(12, 13) &= 8(5)e_{8,7,1} + (8)(-2)e_{8,8,2}, \\ V_2^{\sim\vee}(12, 14) &= 8(-1)e_{8,8,1}, \end{aligned}$$

$V_2^{\sim\vee}(12, s) = 0E_8$ for $s = 0, \dots, 11$,

$$V_2^{\sim}(13) = \nu^{-7} \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 32\nu^{-6} & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 32\nu^{-6} & 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix} = \sum_{s=0}^{14} \nu^{-s} V_2^{\sim\vee}(13, s),$$

where

$$V_2^{\sim\vee}(13, 13) = 32e_{8,7,1} + 32e_{8,8,2},$$

$V_2^{\sim\vee}(13, s) = 0E_8$ for $s = 0, \dots, 12, 14$,

$$V_2^{\sim}(14) = \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -8\nu^{-7} & 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix} = \sum_{s=0}^{14} \nu^{-s} V_2^{\sim\vee}(14, s),$$

where

$$V_2^{\sim\vee}(14, 14) = 8(-1)e_{8,8,1}, V_2^{\sim\vee}(14, s) = 0E_8 \text{ for } s = 0, \dots, 13.$$

We see that $V_2^{\sim\vee}(r, s) = 0E_8$, if $r \in [1, 14] \cap \mathbb{Z}$ and $s \in [0, r-1] \cap \mathbb{Z}$. Therefore, in view of (26), $V_2^{\sim*}(-i) = 0$ for $i = 0, \dots, 14$.

In view of (25),

$$\begin{aligned} V_2^{\sim*}(0) &= V_l^{\sim\vee}(0, 0) + V_l^{\sim\vee}(1, 1) + \\ &\quad V_2^{\sim\vee}(2, 2) + V_l^{\sim\vee}(3, 3) + V_l^{\sim\vee}(4, 4) + \\ &\quad V_2^{\sim\vee}(5, 5) + V_l^{\sim\vee}(6, 6) + V_l^{\sim\vee}(7, 7) + \\ &\quad V_2^{\sim\vee}(8, 8) + V_l^{\sim\vee}(9, 9) + V_l^{\sim\vee}(10, 10) + \\ &\quad V_2^{\sim\vee}(11, 11) + V_l^{\sim\vee}(12, 12) + V_l^{\sim\vee}(13, 13) + \end{aligned}$$

$$V_2^{\sim\vee}(14,14) =$$

$$\begin{aligned}
& (8)119e_{8,1,8} + \\
& (32)(-19)e_{8,1,7} + (32)(-19)e_{8,2,8} + \\
& (8)(-431)e_{8,1,6} + (8)45e_{8,2,7} + (8)45e_{8,3,8} + \\
& (32)70e_{8,1,5} + \\
& (32)70e_{8,2,6} + (32)(-6)e_{8,3,7} + (32)(-6)e_{8,4,8} + \\
& (8)545e_{8,1,4} + (8)(-169)e_{8,2,5} + \\
& (8)(-169)e_{8,3,6} + (8)(11)e_{8,4,7} + (8)(11)e_{8,5,8} + \\
& (32)(-91)e_{8,1,3} + (32)(-91)e_{8,2,4} + \\
& (32)(23)e_{8,3,5} + (32)(23)e_{8,4,6} + \\
& (32)(-1)e_{8,5,7} + (32)(-1)e_{8,6,8} + \\
& (8)(-249)e_{8,1,2} + (8)(227)e_{8,2,3} + \\
& (8)(227)e_{8,3,4} + (8)(-43)e_{8,4,5} + \\
& (8)(-43)e_{8,5,6} + (8)e_{8,6,7} + (8)e_{8,7,8} + \\
& (32)(44)e_{8,1,1} + (32)(44)e_{8,2,2} + \\
& (32)(-32)e_{8,3,3} + (32)(-32)e_{8,4,4} + \\
& (32)(4)e_{8,5,5} + (32)(4)e_{8,6,6} + \\
& (8)(-119)e_{8,2,1} + (8)(-119)e_{8,3,2} + \\
& (8)(61)e_{8,4,3} + (8)(61)e_{8,5,4} + \\
& (8)(-5)e_{8,6,5} + (8)(-5)e_{8,7,6} + (8)(-1)e_{8,8,7} + \\
& (32)(19)e_{8,3,1} + (32)(19)e_{8,4,2} + \\
& (32)(-5)e_{8,5,3} + (32)(-5)e_{8,6,4} + \\
& 32e_{8,7,5}) + 32e_{8,8,6} + \\
& 8(-45)e_{8,4,1} + 8(-45)e_{8,5,2} + \\
& 8(-1)e_{8,6,3} + 8(-1)e_{8,7,4} + 8(-7)e_{8,8,5} + \\
& (32)(6)e_{8,5,1} + (32)(6)e_{8,6,2} + \\
& (32)(2)e_{8,7,3} + (32)(2)e_{8,8,4} + \\
& 8(-11)e_{8,6,1} + 8(-11)e_{8,7,2} + 8(-7)e_{8,8,3} + \\
& 32e_{8,7,1} + 32e_{8,8,2} + \\
& 8(-1)e_{8,8,1} = \\
& (32)(44)e_{8,1,1} + (8)(-249)e_{8,1,2} + (32)(-91)(e_{8,1,3} + \\
& (8)545e_{8,1,4} + (32)70e_{8,1,5} + (8)(-431)e_{8,1,6} + \\
& (32)(-19)e_{8,1,7} + (8)119e_{8,1,8} + (32)(-32)e_{8,4,4} +
\end{aligned}$$

$$\begin{aligned}
& (8)(-119)e_{8,2,1} + (32)(44)e_{8,2,2} + (8)(227)e_{8,2,3} + \\
& (32)(-91)e_{8,2,4} + (8)(-169)e_{8,2,5} + (32)70e_{8,2,6} + \\
& (8)45e_{8,2,7} + (32)(-19)e_{8,2,8} + \\
& (32)(19)e_{8,3,1} + (8)(-119)e_{8,3,2} + (32)(-32)e_{8,3,3} + \\
& (8)(227)e_{8,3,4} + (32)(23)e_{8,3,5} + (8)(-169)e_{8,3,6} + \\
& (32)(-6)e_{8,3,7} + (8)45e_{8,3,8} + \\
& 8(-45)e_{8,4,1} + (32)(19)e_{8,4,2} + (8)(61)e_{8,4,3} + (32)(-32)e_{8,4,4} + \\
& (8)(-43)e_{8,4,5} + (32)(23)e_{8,4,6} + (8)(11)e_{8,4,7} + (32)(-6)e_{8,4,8} + \\
& (32)(6)e_{8,5,1} + 8(-45)e_{8,5,2} + (32)(-5)e_{8,5,3} + (8)(61)e_{8,5,4} + \\
& (32)(4)e_{8,5,5} + (8)(-43)e_{8,5,6} + (32)(-1)e_{8,5,7} + (8)(11)e_{8,5,8} + \\
& 8(-11)e_{8,6,1} + (32)(6)e_{8,6,2} + 8(-1)e_{8,6,3} + (32)(-5)e_{8,6,4} + \\
& (8)(-5)e_{8,6,5} + (32)(4)e_{8,6,6} + (8)e_{8,6,7} + (32)(-1)e_{8,6,8} + \\
& 32e_{8,7,1} + 8(-11)e_{8,7,2} + (32)(2)e_{8,7,3} + 8(-1)e_{8,7,4} + \\
& 32e_{8,7,5} + (8)(-5)e_{8,7,6} + (8)e_{8,7,8} + \\
& 8(-1)e_{8,8,1} + 32e_{8,8,2} + 8(-7)e_{8,8,3} + (32)(2)e_{8,8,4} + \\
& 8(-7)e_{8,8,5} + 32e_{8,8,6} + (8)(-1)e_{8,8,7} =
\end{aligned}$$

$$8 \begin{pmatrix} 176 & -249 & -364 & 545 & 280 & -431 & -76 & 119 \\ -119 & 176 & 227 & -364 & -169 & 280 & 45 & -76 \\ 76 & -119 & -128 & 227 & 92 & -169 & -24 & 45 \\ -45 & 76 & 61 & -128 & -43 & 92 & 11 & -24 \\ 24 & -45 & -20 & 61 & 16 & -43 & -4 & 11 \\ -11 & 24 & -1 & -20 & -5 & 16 & 1 & -4 \\ 4 & -11 & 8 & -1 & 4 & -5 & 0 & 1 \\ -1 & 4 & -7 & 8 & -7 & 4 & -1 & 0 \end{pmatrix} = \\
8 \begin{pmatrix} A_0 & B_0 \\ C_0 & D_0 \end{pmatrix},$$

where

$$A_0 = \begin{pmatrix} 176 & -249 & -364 & 545 \\ -119 & 176 & 227 & -364 \\ 76 & -119 & -128 & 227 \\ -45 & 76 & 61 & -128 \end{pmatrix}, B_0 = \begin{pmatrix} 280 & -431 & -76 & 119 \\ -169 & 280 & 45 & -76 \\ 92 & -169 & -24 & 45 \\ -43 & 92 & 11 & -24 \end{pmatrix},$$

$$C_0 = \begin{pmatrix} 24 & -45 & -20 & 61 \\ -11 & 24 & -1 & -20 \\ 4 & -11 & 8 & -1 \\ -1 & 4 & -7 & 8 \end{pmatrix}, D_0 = \begin{pmatrix} 16 & -43 & -4 & 11 \\ -5 & 16 & 1 & -4 \\ 4 & -5 & 0 & 1 \\ -7 & 4 & -1 & 0 \end{pmatrix},$$

$$\begin{aligned} V_2^{\sim *}(1) &= V_l^{\sim \vee}(0, 1) + V_l^{\sim \vee}(1, 2) + \\ V_2^{\sim \vee}(2, 3) &+ V_l^{\sim \vee}(3, 4) + V_l^{\sim \vee}(4, 5) + \\ V_2^{\sim \vee}(5, 6) &+ V_l^{\sim \vee}(6, 7) + V_l^{\sim \vee}(7, 8) + \\ V_2^{\sim \vee}(8, 9) &+ V_l^{\sim \vee}(9, 10) + V_l^{\sim \vee}(10, 11) + \\ V_2^{\sim \vee}(11, 12) &+ V_l^{\sim \vee}(12, 13) + V_l^{\sim \vee}(13, 14) = \end{aligned}$$

$$\begin{aligned} &(8)357e_{8,1,7} + \\ &(32)(-157)e_{8,1,6} + (32)(-57)e_{8,2,7} + \\ &(8)(-603)e_{8,1,5} + (8)394e_{8,2,6} + (8)135e_{8,3,7} + \\ &(32)388e_{8,1,4} + \\ &(32)101e_{8,2,5} + (32)(-57)e_{8,3,6} + (32)(-18)e_{8,4,7} + \\ &(8)(-113)e_{8,1,3} + (8)(-996)e_{8,2,4} + \\ &(8)(-253)e_{8,3,5} + (8)(118)e_{8,4,6} + (8)(33)e_{8,5,7} + \\ &(32)(-255)e_{8,1,2} + (32)11e_{8,2,3} + \\ &(32)(148)e_{8,3,4} + (32)(36)e_{8,4,5} + \\ &(32)(-13)e_{8,5,6} + (32)(-3)e_{8,6,7} + \\ &(8)(455)e_{8,1,1} + (8)682e_{8,2,2} + \\ &(8)(-3)e_{8,3,3} + (8)(-316)e_{8,4,4} + \\ &(8)(-71)e_{8,5,5} + (8)(18)e_{8,6,6} + (8)3e_{8,7,7} + \\ &(32)(-75)(e_{8,2,1} + (32)(-107)e_{8,3,2} + \\ &(32)(-4)e_{8,4,3} + (32)(36)e_{8,5,4} + \\ &(32)(7)e_{8,6,5} + (32)(-1)e_{8,7,6} + \\ &(8)(185)e_{8,3,1} + (8)246e_{8,4,2} + \\ &(8)(19)e_{8,5,3} + (8)(-52)e_{8,6,4} + \\ &(8)(-9)e_{8,7,5} + (8)(-2)e_{8,8,6} + \\ &(32)(-26)(e_{8,4,1} + (32)(-31)e_{8,5,2} + \\ &(32)(-3)e_{8,6,3} + (32)(4)e_{8,7,4} + (32)(2)e_{8,8,5} + \\ &8(51)e_{8,5,1} + (8)50e_{8,6,2} + 8e_{8,7,3} + \\ &8(-12)e_{8,8,4}) + \\ &(32)(-5)e_{8,6,1} + (32)(-3)e_{8,7,2} + \\ &(32)(2)e_{8,8,3} + \\ &8(5)e_{8,7,1} + (8)(-2)e_{8,8,2} = \end{aligned}$$

$$\begin{aligned}
& (8)(455)e_{8,1,1} + (32)(-255)e_{8,1,2} + (8)(-113)e_{8,1,3} + \\
& (32)388e_{8,1,4} + (8)(-603)e_{8,1,5} + (32)(-157)e_{8,1,6} + \\
& (8)357e_{8,1,7} +
\end{aligned}$$

$$(32)(-75)e_{8,2,1} + (8)682e_{8,2,2} + (32)11e_{8,2,3} + (8)(-996)e_{8,2,4} +$$

$$(32)101e_{8,2,5} + (8)394e_{8,2,6} + (32)(-57)e_{8,2,7} +$$

$$\begin{aligned}
& (8)(185)e_{8,3,1} + (32)(-107)e_{8,3,2} + (8)(-3)e_{8,3,3} + \\
& (32)(148)e_{8,3,4} + (8)(-253)e_{8,3,5} + (32)(-57)e_{8,3,6} + \\
& (8)135e_{8,3,7} +
\end{aligned}$$

$$\begin{aligned}
& (32)(-26)e_{8,4,1} + (8)246e_{8,4,2} + (32)(-4)e_{8,4,3} + \\
& (8)(-316)e_{8,4,4} + (32)(36)e_{8,4,5} + (8)(118)e_{8,4,6} + \\
& (32)(-18)e_{8,4,7} +
\end{aligned}$$

$$\begin{aligned}
& 8(51)e_{8,5,1} + (32)(-31)e_{8,5,2} + (8)(19)e_{8,5,3} + (32)(36)e_{8,5,4} + \\
& (8)(-71)e_{8,5,5} + (32)(-13)e_{8,5,6} + (8)(33)e_{8,5,7} +
\end{aligned}$$

$$\begin{aligned}
& (32)(-5)e_{8,6,1} + (8)50e_{8,6,2} + (32)(-3)e_{8,6,3} + (8)(-52)e_{8,6,4} + \\
& (32)(7)e_{8,6,5} + (8)(18)e_{8,6,6} + (32)(-3)e_{8,6,7} +
\end{aligned}$$

$$\begin{aligned}
& 8(5)e_{8,7,1} + (32)(-3)e_{8,7,2} + 8e_{8,7,3} + (32)(4)e_{8,7,4} + \\
& (8)(-9)e_{8,7,5} + (32)(-1)e_{8,7,6} + (8)3e_{8,7,7} +
\end{aligned}$$

$$\begin{aligned}
& (8)(-2)e_{8,8,2} + (32)(2)e_{8,8,3} + 8(-12)e_{8,8,4} + (32)(2)e_{8,8,5} + \\
& (8)(-2)e_{8,8,6} =
\end{aligned}$$

$$8 \begin{pmatrix} 455 & -1020 & -113 & 1552 & -603 & -628 & 357 & 0 \\ -300 & 682 & 44 & -996 & 404 & 394 & -228 & 0 \\ 185 & -428 & -3 & 592 & -253 & -228 & 135 & 0 \\ -104 & 246 & -16 & -316 & 144 & 118 & -72 & 0 \\ 51 & -124 & 19 & 144 & -71 & -52 & 33 & 0 \\ -20 & 50 & -12 & -52 & 28 & 18 & -12 & 0 \\ 5 & -12 & 1 & 16 & -9 & -4 & 3 & 0 \\ 0 & -2 & 8 & -12 & 8 & -2 & 0 & 0 \end{pmatrix} =$$

$$8 \begin{pmatrix} A_1 & B_1 \\ C_1 & D_1 \end{pmatrix},$$

where

$$A_1 = \begin{pmatrix} 455 & -1020 & -113 & 1552 \\ -300 & 682 & 44 & -996 \\ 185 & -428 & -3 & 592 \\ -104 & 246 & -16 & -316 \end{pmatrix}, B_1 = \begin{pmatrix} -603 & -628 & 357 & 0 \\ 404 & 394 & -228 & 0 \\ -253 & -228 & 135 & 0 \\ 144 & 118 & -72 & 0 \end{pmatrix},$$

$$C_1 = \begin{pmatrix} 51 & -124 & 19 & 144 \\ -20 & 50 & -12 & -52 \\ 5 & -12 & 1 & 16 \\ 0 & -2 & 8 & -12 \end{pmatrix},$$

$$D_1 = \begin{pmatrix} -71 & -52 & 33 & 0 \\ 28 & 18 & -12 & 0 \\ -9 & -4 & 3 & 0 \\ 8 & -2 & 0 & 0 \end{pmatrix},$$

$$\begin{aligned} V_2^{\sim *}(2) &= V_l^{\sim \vee}(0, 2) + V_l^{\sim \vee}(1, 3) + \\ V_2^{\sim \vee}(2, 4) &+ V_l^{\sim \vee}(3, 5) + V_l^{\sim \vee}(4, 6) + \\ V_2^{\sim \vee}(5, 7) &+ V_l^{\sim \vee}(6, 8) + V_l^{\sim \vee}(7, 9) + \\ V_2^{\sim \vee}(8, 10) &+ V_l^{\sim \vee}(9, 11) + V_l^{\sim \vee}(10, 12) + \\ V_2^{\sim \vee}(11, 13) &+ V_l^{\sim \vee}(12, 14) = \end{aligned}$$

$$\begin{aligned} &(8)357e_{8,1,6} + \\ &(32)(-257)e_{8,1,5} + (32)(-57)e_{8,2,6} + \\ &(8)542e_{8,1,4} + (8)653e_{8,2,5} + (8)135e_{8,3,6} + \\ &(32)243e_{8,1,3} + \\ &(32)(-83)e_{8,2,4} + (32)(-96)e_{8,3,5} + (32)(-18)e_{8,4,6} + \\ V_2^{\sim \vee}(4, 6) &= (8)(-1243)e_{8,1,2} + (8)(-642)e_{8,2,3} + \\ (8)(186)e_{8,3,4} &+ (8)(203)e_{8,4,5} + (8)(33)e_{8,5,6} + \\ (32)100e_{8,1,1} &+ (32)(202)e_{8,2,2} + \\ (32)(99)e_{8,3,3} &+ (32)(-23)e_{8,4,4} + \\ (32)(-23)e_{8,5,5} &+ (32)(-3)e_{8,6,6} + \\ V_2^{\sim \vee}(6, 8) &= (8)-259e_{8,2,1} + (8)(-489)e_{8,3,2} + \\ (8)(-222)e_{8,4,3} &+ (8)(38)e_{8,5,4} + (8)(33)e_{8,6,5} + \\ (8)(3)e_{8,7,6} &+ (32)39e_{8,3,1} + (32)(67)e_{8,4,2} + \\ (32)(27)e_{8,5,3} &+ (32)(-3)e_{8,6,4} + (32)(-2)e_{8,7,5} + \\ (8)(-85)e_{8,4,1} &+ (8)(-127)e_{8,5,2} + \\ (8)(-42)e_{8,6,3} &+ (8)(2)e_{8,7,4} + (8)(-1)e_{8,8,5} + \\ (32)(3)e_{8,5,1} &+ (32)(12)e_{8,6,2} + \\ (32)(3)e_{8,7,3} &+ 32e_{8,8,4} + \end{aligned}$$

$$8(-15)e_{8,6,1} + 8(-13)e_{8,7,2} + 8(-6)e_{8,8,3} +$$

$$32e_{8,7,1} + 32e_{8,8,2} + 8(-1)e_{8,8,1} =$$

$$(32)100e_{8,1,1} + (8)(-1243)e_{8,1,2} + (32)243e_{8,1,3} +$$

$$(8)542e_{8,1,4} + (32)(-257)e_{8,1,5} + (8)357e_{8,1,6} +$$

$$(8)-259e_{8,2,1} + (32)(202)e_{8,2,2} + (8)(-642)e_{8,2,3} +$$

$$(32)(-83)e_{8,2,4} + (8)653e_{8,2,5} + (32)(-57)e_{8,2,6} +$$

$$(32)39e_{8,3,1} + (8)(-489)e_{8,3,2} + (32)(99)e_{8,3,3} +$$

$$(8)(186)e_{8,3,4} + (32)(-96)e_{8,3,5} + (8)135e_{8,3,6} +$$

$$(8)(-85)e_{8,4,1} + (32)(67)e_{8,4,2} + (8)(-222)e_{8,4,3} +$$

$$(32)(-23)e_{8,4,4} + (8)(203)e_{8,4,5} + (32)(-18)e_{8,4,6} +$$

$$(32)10e_{8,5,1} + (8)(-127)e_{8,5,2} + (32)(27)e_{8,5,3} +$$

$$(8)(38)e_{8,5,4} + (32)(-23)e_{8,5,5} + (8)(33)e_{8,5,6} +$$

$$8(-15)e_{8,6,1} + (32)(12)e_{8,6,2} + (8)(-42)e_{8,6,3} +$$

$$(32)(-3)e_{8,6,4} + (8)(33)e_{8,6,5} + (32)(-3)e_{8,6,6} +$$

$$32e_{8,7,1} + 8(-13)e_{8,7,2} + (32)(3)e_{8,7,3} + (8)(2)e_{8,7,4} +$$

$$(32)(-2)e_{8,7,5} + (8)(3)e_{8,7,6} +$$

$$8(-1)e_{8,8,1} + 32e_{8,8,2} + 8(-6)e_{8,8,3} + 32e_{8,8,4} +$$

$$(8)(-1)e_{8,8,5} =$$

$$8 \begin{pmatrix} 400 & -1243 & 972 & 542 & -1028 & 357 & 0 & 0 \\ -259 & 808 & -642 & -332 & 653 & -228 & 0 & 0 \\ 156 & -489 & 396 & 186 & -384 & 135 & 0 & 0 \\ -85 & 268 & -222 & -92 & 203 & -72 & 0 & 0 \\ 40 & -127 & 108 & 38 & -92 & 33 & 0 & 0 \\ -15 & 48 & -42 & -12 & 33 & -12 & 0 & 0 \\ 4 & -13 & 12 & 2 & -8 & 3 & 0 & 0 \\ -1 & 4 & -6 & 4 & -1 & 0 & 0 & 0 \end{pmatrix} =$$

$$8 \begin{pmatrix} A_2 & B_2 \\ C_2 & D_2 \end{pmatrix},$$

where

$$A_2 = \begin{pmatrix} 400 & -1243 & 972 & 542 \\ -259 & 808 & -642 & -332 \\ 156 & -489 & 396 & 186 \\ -85 & 268 & -222 & -92 \end{pmatrix}, B_2 = \begin{pmatrix} -1028 & 357 & 0 & 0 \\ 653 & -228 & 0 & 0 \\ -384 & 135 & 0 & 0 \\ 203 & -72 & 0 & 0 \end{pmatrix},$$

$$C_2 = \begin{pmatrix} 40 & -127 & 108 & 38 \\ -15 & 48 & -42 & -12 \\ 4 & -13 & 12 & 2 \\ -1 & 4 & -6 & 4 \end{pmatrix},$$

$$D_2 = \begin{pmatrix} -92 & 33 & 0 & 0 \\ 33 & -12 & 0 & 0 \\ -8 & 3 & 0 & 0 \\ -1 & 0 & 0 & 0 \end{pmatrix},$$

$$\begin{aligned} V_2^{\sim *}(3) &= V_l^{\sim \vee}(0, 3) + V_l^{\sim \vee}(1, 4) + \\ &V_2^{\sim \vee}(2, 5) + V_l^{\sim \vee}(3, 6) + V_l^{\sim \vee}(4, 7) + \\ &V_2^{\sim \vee}(5, 8) + V_l^{\sim \vee}(6, 9) + V_l^{\sim \vee}(7, 10) + \\ &V_2^{\sim \vee}(8, 11) + V_l^{\sim \vee}(9, 12) + V_l^{\sim \vee}(10, 13) + \\ &V_2^{\sim \vee}(11, 14) = \\ &(8)119e_{8,1,5} + (32)(-119)e_{8,1,4} + (32)(-19)e_{8,2,5} + \\ &(8)714e_{8,1,3} + (8)304e_{8,2,4} + (8)45e_{8,3,5} + (32)(-119)e_{8,1,2} + \\ &(32)(-114)e_{8,2,3} + (32)(-45)e_{8,3,4} + (32)(-6)e_{8,4,5} + \\ &(8)(119)e_{8,1,1} + (8)(304)e_{8,2,2} + \\ &(8)(270)e_{8,3,3} + (8)(96)e_{8,4,4} + (8)(11)e_{8,5,5} + \\ &(32)(-19)e_{8,2,1} + (32)(-45)e_{8,3,2} + \\ &(32)(-36)e_{8,4,3} + (32)(-11)e_{8,5,4} + (32)(-1)e_{8,6,5} + \\ &(8)(45)e_{8,3,1} + (8)(96)e_{8,4,2} + \\ &(8)(66)e_{8,5,3} + (8)(16)e_{8,6,4} + (8)e_{8,7,5} + \\ &(32)(-6)e_{8,4,1} + (32)(-11)e_{8,5,2} + \\ &(32)(-6)e_{8,6,3} + (32)(-1)e_{8,7,4} + \\ &(8)(11)e_{8,5,1} + (8)(16)e_{8,6,2} + (8)(6)e_{8,7,3} + \\ &(32)(-1)e_{8,6,1} + (32)(-1)e_{8,7,2} + 8e_{8,7,1} = \\ &(8)(119)e_{8,1,1} + (32)(-119)e_{8,1,2} + (8)714e_{8,1,3} + \\ &(32)(-119)e_{8,1,4} + (8)119e_{8,1,5} + \end{aligned}$$

$$\begin{aligned} &(32)(-19)e_{8,2,1} + (8)(304)e_{8,2,2} + (32)(-114)e_{8,2,3} + \\ &(8)304e_{8,2,4} + (32)(-19)e_{8,2,5} + \end{aligned}$$

$$(8)(45)e_{8,3,1} + (32)(-45)e_{8,3,2} + (8)(270)e_{8,3,3} + \\ (32)(-45)e_{8,3,4} + (8)45e_{8,3,5} +$$

$$(32)(-6)e_{8,4,1} + (8)(96)e_{8,4,2} + (32)(-36)e_{8,4,3} + \\ (8)(96)e_{8,4,4} + (32)(-6)e_{8,4,5} +$$

$$(8)(11)e_{8,5,1} + (32)(-11)e_{8,5,2} + (8)(66)e_{8,5,3} + \\ (32)(-11)e_{8,5,4} + (8)(11)e_{8,5,5} +$$

$$(32)(-1)e_{8,6,1} + (8)(16)e_{8,6,2} + (32)(-6)e_{8,6,3} + \\ (8)(16)e_{8,6,4} + (32)(-1)e_{8,6,5} +$$

$$8e_{8,7,1} + (32)(-1)e_{8,7,2} + (8)(6)e_{8,7,3} + \\ (32)(-1)e_{8,7,4} + (8)e_{8,7,5} =$$

$$8 \begin{pmatrix} 119 & -476 & 714 & -476 & 119 & 0 & 0 & 0 \\ -76 & 304 & -456 & 304 & -76 & 0 & 0 & 0 \\ 45 & -180 & 270 & -180 & 45 & 0 & 0 & 0 \\ -24 & 96 & -144 & 96 & -24 & 0 & 0 & 0 \\ 11 & -44 & 66 & -44 & 11 & 0 & 0 & 0 \\ -4 & 16 & -24 & 16 & -4 & 0 & 0 & 0 \\ 1 & -4 & 6 & -4 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix} = \\ 8 \begin{pmatrix} A_3 & B_3 \\ C_3 & D_3 \end{pmatrix},$$

where

$$A_3 = \begin{pmatrix} 119 & -476 & 714 & -476 \\ -76 & 304 & -456 & 304 \\ 45 & -180 & 270 & -180 \\ -24 & 96 & -144 & 96 \end{pmatrix}, B_3 = \begin{pmatrix} 119 & 0 & 0 & 0 \\ -76 & 0 & 0 & 0 \\ 45 & 0 & 0 & 0 \\ -24 & 0 & 0 & 0 \end{pmatrix}, \\ C_3 = \begin{pmatrix} 11 & -44 & 66 & -44 \\ -4 & 16 & -24 & 16 \\ 1 & -4 & 6 & -4 \\ 0 & 0 & 0 & 0 \end{pmatrix}, \\ D_3 = \begin{pmatrix} 11 & 0 & 0 & 0 \\ -4 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix}.$$

Since $V_2^{\sim\vee}(r, s) = 0E_8$, if $r = 0, \dots, 10$, $s \in [k+4, 14] \cap \mathbb{Z}$, it follows that $V_2^{\sim*}(i) = 0$ for $i = s - r \geq 4$.

In view of (22),

$$(35) \quad (K_2 T_{4,-1})^2 = E_4, K_2 T_{4,-1} K_2 T_{4,-1} K_2 T_{4,-1} L_2 T_{4,-1} =$$

$$-L_2 T_{4,-1} K_2 T_{4,-1} = \begin{pmatrix} -192 & -1176 & -3872 & -9288 \\ 88 & 512 & 1640 & 3872 \\ -32 & -168 & -512 & -1176 \\ 8 & 32 & 88 & 192 \end{pmatrix},$$

$$(36) \quad (S_2^\sim(\nu) T_{8,-1})^2 = E_8$$

and (16) holds for l=2.

Since

$$(37) \quad K_2 T_{4,-1} A_0 T_{4,-1} + L_2 T_{4,-1} C_0 T_{4,-1} =$$

$$-A_0 T_{4,-1} K_2 T_{4,-1} = \begin{pmatrix} -176 & -1159 & -3276 & -5153 \\ 119 & 776 & 2173 & 3388 \\ -76 & -489 & -1352 & -2083 \\ 45 & 284 & 771 & 1168 \end{pmatrix},$$

$$(38) \quad K_2 T_{4,-1} B_0 T_{4,-1} + L_2 T_{4,-1} D_0 T_{4,-1} =$$

$$-(A_0 T_{4,-1} L_2 T_{4,-1} + B_0 T K_2 T) = \begin{pmatrix} -4872 & -2769 & -876 & -119 \\ 3177 & 1792 & 563 & 76 \\ -1932 & -1079 & -336 & -45 \\ 1067 & 588 & 181 & 24 \end{pmatrix},$$

$$(39) \quad K_2 T_{4,-1} C_0 T_{4,-1} = -C_2 T_{4,-1} K_0 T_{4,-1} =$$

$$\begin{pmatrix} -246 & -147 & -388 & -573 \\ 11 & 64 & 161 & 228 \\ -4 & -21 & -48 & -63 \\ 15 & 4 & 7 & 8 \end{pmatrix},$$

$$(40) \quad C_0 T_{4,-1} L_2 T_{4,-1} + D_0 T K_2 T =$$

$$-K_2 T_{4,-1} D_0 T_{4,-1} = \begin{pmatrix} 512 & 277 & 84 & 11 \\ -197 & -104 & -31 & -4 \\ 52 & 27 & 8 & 1 \\ -7 & -4 & -1 & 0 \end{pmatrix},$$

it follows that

$$(41) \quad S_2^\sim(\nu) T_{8,-1} V_2^{\sim*}(0) = -V_2^{\sim*}(0) T_{8,-1} S_2^\sim(\nu)$$

Since

$$(42) \quad K_2 T_{4,-1} A_1 T_{4,-1} + L_2 T_{4,-1} C_1 T_{4,-1} =$$

$$A_1 T_{4,-1} K_2 T_{4,-1} = \begin{pmatrix} 455 & 2620 & 6287 & 8048 \\ -300 & -1718 & -4100 & -5220 \\ 185 & 1052 & 2493 & 3152 \\ -104 & -586 & -1376 & -1724 \end{pmatrix},$$

$$(43) \quad K_2 T_{4,-1} B_1 T_{4,-1} + L_2 T_{4,-1} D_1 T_{4,-1} =$$

$$-(A_1 T_{4,-1} L_2 T_{4,-1} + B_1 T K_2 T) = \begin{pmatrix} 5797 & 2228 & 357 & 0 \\ -3740 & -1430 & -228 & 0 \\ 2243 & 852 & 135 & 0 \\ -1216 & -458 & -72 & 0 \end{pmatrix},$$

$$(44) \quad K_2 T_{4,-1} C_1 T_{4,-1} = C_2 T_{4,-1} K_1 T_{4,-1} =$$

$$\begin{pmatrix} 51 & 284 & 659 & 816 \\ -20 & -110 & -252 & -308 \\ 5 & 28 & 65 & 80 \\ 0 & -2 & -8 & -12 \end{pmatrix},$$

$$(45) \quad C_1 T_{4,-1} L_2 T_{4,-1} + D_1 T K_2 T = K_2 T_{4,-1} D_1 T_{4,-1} =$$

$$\begin{pmatrix} 569 & 212 & 33 & 0 \\ -212 & -78 & -12 & 0 \\ 55 & 20 & 3 & 0 \\ -8 & -2 & 0 & 0 \end{pmatrix},$$

it follows that

$$(46) \quad S_2^\sim(\nu) T_{8,-1} V_2^{\sim*}(1) = V_2^{\sim*}(1) T_{8,-1} S_2^\sim(\nu)$$

Since

$$(47) \quad K_2 T_{4,-1} A_2 T_{4,-1} + L_2 T_{4,-1} C_2 T_{4,-1} =$$

$$-A_2 T_{4,-1} K_2 T_{4,-1} = \begin{pmatrix} -400 & -1957 & -3828 & -3742 \\ 259 & 1264 & 2466 & 2404 \\ -156 & -759 & -1476 & -1434 \\ 85 & 412 & 798 & 772 \end{pmatrix},$$

$$(48) \quad K_2 T_{4,-1} B_2 T_{4,-1} + L_2 T_{4,-1} D_2 T_{4,-1} =$$

$$-(A_2 T_{4,-1} L_2 T_{4,-1} + B_2 T K_2 T) = \begin{pmatrix} -1828 & -357 & 0 & 0 \\ 1171 & 228 & 0 & 0 \\ -696 & -135 & 0 & 0 \\ 373 & 72 & 0 & 0 \end{pmatrix},$$

$$(49) \quad K_2 T_{4,-1} C_2 T_{4,-1} = -C_2 T_{4,-1} K_2 T_{4,-1} =$$

$$\begin{pmatrix} -40 & -193 & -372 & -358 \\ 15 & 72 & 138 & 132 \\ -4 & -19 & -36 & -34 \\ 1 & 4 & 6 & 4 \end{pmatrix},$$

$$(50) \quad C_2 T_{4,-1} L_2 T_{4,-1} + D_2 T K_2 T =$$

$$-K_2 T_{4,-1} D_2 T_{4,-1} = \begin{pmatrix} 172 & 33 & 0 & 0 \\ -63 & -12 & 0 & 0 \\ 16 & 3 & 0 & 0 \\ -1 & 0 & 0 & 0 \end{pmatrix},$$

it follows that

$$(51) \quad S_2^\sim(\nu) T_{8,-1} V_2^{\sim*}(2) = -V_2^{\sim*}(2) T_{8,-1} S_2^\sim(\nu)$$

Since

$$(52) \quad K_2 T_{4,-1} A_3 T_{4,-1} + L_2 T_{4,-1} C_3 T_{4,-1} =$$

$$A_3 T_{4,-1} K_2 T_{4,-1} = \begin{pmatrix} 119 & 476 & 714 & 476 \\ -76 & -3044 & -456 & -304 \\ 45 & 180 & 270 & 180 \\ -24 & -96 & -144 & -96 \end{pmatrix},$$

$$(53) \quad K_2 T_{4,-1} B_3 T_{4,-1} + L_2 T_{4,-1} D_3 T_{4,-1} =$$

$$-(A_3 T_{4,-1} L_2 T_{4,-1} + B_3 T K_2 T) = \begin{pmatrix} 119 & 0 & 0 & 0 \\ -76 & 0 & 0 & 0 \\ 45 & 0 & 0 & 0 \\ -24 & 0 & 0 & 0 \end{pmatrix},$$

$$(54) \quad K_2 T_{4,-1} C_3 T_{4,-1} = C_2 T_{4,-1} K_2 T_{4,-1} =$$

$$\begin{pmatrix} 11 & 44 & 66 & 44 \\ -4 & -16 & -24 & -16 \\ 1 & 4 & 6 & 4 \\ 0 & 0 & 0 & 0 \end{pmatrix},$$

$$(55) \quad C_3 T_{4,-1} L_2 T_{4,-1} + D_3 T K_2 T = K_2 T_{4,-1} D_3 T_{4,-1} =$$

$$\begin{pmatrix} 11 & 33 & 0 & 0 \\ -4 & -12 & 0 & 0 \\ 1 & 3 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix},$$

it follows that

$$(56) \quad S_2^\sim(\nu)T_{8,-1}V_2^{\sim*}(3) = V_2^{\sim*}(3)T_{8,-1}S_2^\sim(\nu)$$

In view of (41), (46), (51) and (56), the equality (18) holds for $l = 2$.

$$(57) \quad A_0T_{4,-1}A_0T_{4,-1} = -B_0T_{4,-1}C_0T_{4,-1} =$$

$$\begin{pmatrix} -1794 & -1896 & 5806 & 7584 \\ 872 & 694 & -3488 & -4146 \\ -298 & 0 & 1886 & 1896 \\ 0 & -298 & -872 & -602 \end{pmatrix},$$

$$(58) \quad A_0T_{4,-1}B_0T_{4,-1} = -B_0T_{4,-1}D_0T_{4,-1} =$$

$$\begin{pmatrix} -2854 & -5240 & 570 & 1280 \\ 1656 & 2866 & -320 & -694 \\ -846 & -1312 & 154 & 312 \\ 352 & 418 & -56 & -94 \end{pmatrix},$$

$$(59) \quad C_0T_{4,-1}A_0T_{4,-1} = -D_0T_{4,-1}C_0T_{4,-1} =$$

$$\begin{pmatrix} 94 & 312 & 318 & 32 \\ -56 & -154 & -96 & 46 \\ -42 & -64 & 78 & 136 \\ 128 & 230 & -136 & -346 \end{pmatrix},$$

$$(60) \quad C_0T_{4,-1}B_0T_{4,-1} = -D_0T_{4,-1}D_0T_{4,-1} =$$

$$\begin{pmatrix} -102 & -24 & 10 & 0 \\ 24 & -30 & 0 & 10 \\ -46 & -96 & 10 & 24 \\ 96 & 242 & -24 & -62 \end{pmatrix},$$

it follows that

$$(61) \quad V_2^{\sim*}(0)T_{8,-1}V_2^{\sim*}(0) = 0E_8.$$

Since

$$(62) \quad A_0T_{4,-1}A_1T_{4,-1} = -B_0T_{4,-1}C_1T_{4,-1} =$$

$$\begin{pmatrix} -5280 & -12020 & 880 & 18120 \\ 2794 & 6264 & -802 & -9968 \\ -1192 & -2580 & 664 & 4616 \\ 298 & 552 & -490 & -1520 \end{pmatrix},$$

$$(63) \quad A_0T_{4,-1}B_1T_{4,-1} = -B_0T_{4,-1}D_1T_{4,-1} =$$

$$\begin{pmatrix} 8080 & -6260 & -3840 & 0 \\ -4362 & 3416 & 2082 & 0 \\ 1944 & -1556 & -936 & 0 \\ -570 & 488 & 282 & 0 \end{pmatrix},$$

$$(64) \quad C_0 T_{4,-1} A_1 T_{4,-1} = -D_0 T_{4,-1} C_1 T_{4,-1} =$$

$$\begin{pmatrix} 64 & 236 & 304 & 136 \\ -70 & -200 & -130 & 80 \\ -104 & -244 & -8 & 328 \\ 282 & 680 & 86 & -816 \end{pmatrix},$$

$$(65) \quad C_0 T_{4,-1} B_1 T_{4,-1} = -D_0 T_{4,-1} D_1 T_{4,-1} =$$

$$\begin{pmatrix} -16 & -20 & 0 & 0 \\ 70 & -40 & -30 & 0 \\ 152 & -116 & -72 & 0 \\ -394 & 296 & 186 & 0 \end{pmatrix},$$

it follows that

$$(66) \quad V_2^{\sim *}(0) T_{8,-1} V_2^{\sim *}(1) = 0E_8.$$

Since

$$(67) \quad A_0 T_{4,-1} A_2 T_{4,-1} = -B_0 T_{4,-1} C_2 T_{4,-1} =$$

$$\begin{pmatrix} -4550 & -14360 & -11940 & 4840 \\ 2456 & 7742 & 6408 & -2668 \\ -1094 & -3440 & -2820 & 1240 \\ 320 & 998 & 792 & -412 \end{pmatrix},$$

$$(68) \quad A_0 T_{4,-1} B_2 T_{4,-1} = -B_0 T_{4,-1} D_2 T_{4,-1} =$$

$$\begin{pmatrix} 10810 & 3840 & 0 & 0 \\ -5872 & -2082 & 0 & 0 \\ 2650 & 936 & 0 & 0 \\ -808 & -282 & 0 & 0 \end{pmatrix},$$

$$(69) \quad C_0 T_{4,-1} A_2 T_{4,-1} = -D_0 T_{4,-1} C_2 T_{4,-1} =$$

$$\begin{pmatrix} 10 & 40 & 60 & 40 \\ -40 & -130 & -120 & 20 \\ -86 & -272 & -228 & 88 \\ 224 & 710 & 600 & -220 \end{pmatrix},$$

$$(70) \quad C_0 T_{4,-1} B_2 T_{4,-1} = -D_0 T_{4,-1} D_2 T_{4,-1} =$$

$$\begin{pmatrix} 10 & 0 & 0 & 0 \\ 80 & 30 & 0 & 0 \\ 202 & 72 & 0 & 0 \\ -520 & -186 & 0 & 0 \end{pmatrix},$$

it follows that

$$(71) \quad V_2^{\sim*}(0)T_{8,-1}V_2^{\sim*}(1) = 0E_8.$$

Since

$$(72) \quad A_0T_{4,-1}A_3T_{4,-1} = -B_0T_{4,-1}C_3T_{4,-1} =$$

$$\begin{pmatrix} -1280 & -5120 & -7680 & -5120 \\ 694 & 2776 & 4164 & 2776 \\ -312 & -1248 & -1872 & -1248 \\ 94 & 376 & 564 & 376 \end{pmatrix},$$

$$(73) \quad A_0T_{4,-1}B_3T_{4,-1} = -B_0T_{4,-1}D_3T_{4,-1} =$$

$$\begin{pmatrix} -1280 & 0 & 0 & 0 \\ -694 & 0 & 0 & 0 \\ -312 & 0 & 0 & 0 \\ 94 & 0 & 0 & 0 \end{pmatrix},$$

$$(74) \quad C_0T_{4,-1}A_3T_{4,-1} = -D_0T_{4,-1}C_3T_{4,-1} =$$

$$\begin{pmatrix} 0 & 0 & 0 & 0 \\ -10 & -40 & -60 & -40 \\ -24 & -96 & -144 & 96 \\ 62 & 248 & 372 & 248 \end{pmatrix},$$

$$(75) \quad C_0T_{4,-1}B_3T_{4,-1} = -D_0T_{4,-1}D_3T_{4,-1} =$$

$$\begin{pmatrix} 0 & 0 & 0 & 0 \\ -10 & 0 & 0 & 0 \\ -24 & 0 & 0 & 0 \\ 62 & 0 & 0 & 0 \end{pmatrix},$$

it follows that

$$(76) \quad V_2^{\sim*}(0)T_{8,-1}V_3^{\sim*}(3) = 0E_8.$$

Since

$$(77) \quad A_1T_{4,-1}A_0T_{4,-1} = -B_1T_{4,-1}C_0T_{4,-1} =$$

$$\begin{pmatrix} 19952 & 38280 & -14288 & -49700 \\ -13118 & -25128 & 9510 & 32752 \\ 8040 & 15372 & -5912 & -20128 \\ -4466 & -8520 & 3388 & 11216 \end{pmatrix},$$

$$(78) \quad A_1 T_{4,-1} B_0 T_{4,-1} = -B_1 T_{4,-1} D_0 T_{4,-1} =$$

$$\begin{pmatrix} 11360 & 34192 & -3040 & -8788 \\ -7522 & -22536 & 2010 & 5792 \\ 4648 & 13852 & -1240 & -3560 \\ -2606 & -7720 & 694 & 1984 \end{pmatrix},$$

$$(79) \quad C_1 T_{4,-1} A_0 T_{4,-1} = -D_1 T_{4,-1} C_0 T_{4,-1} =$$

$$\begin{pmatrix} 2144 & 4080 & -1632 & -5404 \\ -822 & -1560 & 638 & 2080 \\ 248 & 468 & -200 & -632 \\ -170 & -312 & 162 & 448 \end{pmatrix},$$

$$(80) \quad C_1 T_{4,-1} B_0 T_{4,-1} = -D_1 T_{4,-1} D_0 T_{4,-1} =$$

$$\begin{pmatrix} 1264 & 3720 & -336 & -956 \\ -490 & -1432 & 130 & 368 \\ 152 & 436 & -40 & -112 \\ -118 & -312 & 30 & 80 \end{pmatrix},$$

it follows that

$$(81) \quad V_2^{\sim*}(1) T_{8,-1} V_2^{\sim*}(0) = 0E_8.$$

Since

$$(82) \quad A_1 T_{4,-1} A_1 T_{4,-1} = -B_1 T_{4,-1} C_1 T_{4,-1} =$$

$$\begin{pmatrix} 41528 & 101888 & 18636 & -113776 \\ -27344 & -67060 & -12176 & 75016 \\ 16788 & 41152 & 7408 & -46128 \\ -9344 & -22892 & -4080 & 25720 \end{pmatrix},$$

$$(83) \quad A_1 T_{4,-1} B_1 T_{4,-1} = -B_1 T_{4,-1} D_1 T_{4,-1} =$$

$$\begin{pmatrix} -57184 & 41232 & 26364 & 0 \\ 37664 & -27188 & -17376 & 0 \\ -23132 & 16720 & 10680 & 0 \\ 12880 & -9324 & -5952 & 0 \end{pmatrix},$$

$$(84) \quad C_1 T_{4,-1} A_1 T_{4,-1} = -D_1 T_{4,-1} C_1 T_{4,-1} =$$

$$\begin{pmatrix} 4496 & 11008 & 1940 & -12400 \\ -1728 & -4228 & -736 & 4776 \\ 524 & 1280 & 216 & -1456 \\ -368 & -892 & -128 & 1048 \end{pmatrix},$$

$$(85) \quad C_1 T_{4,-1} B_1 T_{4,-1} = -D_1 T_{4,-1} D_1 T_{4,-1} =$$

$$\begin{pmatrix} -6200 & 4496 & 2868 & 0 \\ 2384 & -1732 & -1104 & 0 \\ -724 & 528 & 336 & 0 \\ 512 & -380 & -240 & 0 \end{pmatrix},$$

it follows that

$$(86) \quad V_2^{\sim*}(1) T_{8,-1} V_2^{\sim*}(1) = 0E_8.$$

Since

$$(87) \quad A_1 T_{4,-1} A_2 T_{4,-1} = -B_1 T_{4,-1} C_2 T_{4,-1} =$$

$$\begin{pmatrix} 32112 & 102084 & 87216 & -29736 \\ -21158 & -67256 & -57444 & 19624 \\ 13000 & 41320 & 35280 & -12080 \\ -7242 & -23016 & -19644 & 6744 \end{pmatrix},$$

$$(88) \quad A_1 T_{4,-1} B_2 T_{4,-1} = -B_1 T_{4,-1} D_2 T_{4,-1} =$$

$$\begin{pmatrix} -73344 & -26364 & 0 & 0 \\ 48346 & 17376 & 0 & 0 \\ -29720 & -10680 & 0 & 0 \\ 16566 & 5952 & 0 & 0 \end{pmatrix},$$

$$(89) \quad C_1 T_{4,-1} A_2 T_{4,-1} = -D_1 T_{4,-1} C_2 T_{4,-1} =$$

$$\begin{pmatrix} 3488 & 11084 & 9456 & -3256 \\ -1342 & -4264 & -3636 & 1256 \\ 408 & 1296 & 1104 & -384 \\ -290 & -920 & -780 & 280 \end{pmatrix},$$

$$(90) \quad C_1 T_{4,-1} B_2 T_{4,-1} = -D_1 T_{4,-1} D_2 T_{4,-1} =$$

$$\begin{pmatrix} -7984 & -2868 & 0 & 0 \\ 3074 & 1104 & 0 & 0 \\ -936 & 336 & 0 & 0 \\ 670 & -240 & 0 & 0 \end{pmatrix},$$

it follows that

$$(91) \quad V_2^{\sim*}(1) T_{8,-1} V_2^{\sim*}(1) = 0E_8.$$

Since

$$(92) \quad A_1 T_{4,-1} A_3 T_{4,-1} = -B_1 T_{4,-1} C_3 T_{4,-1} =$$

$$\begin{pmatrix} 8788 & 35152 & 52728 & 35152 \\ -5792 & -23168 & -34752 & -23168 \\ 3560 & 14240 & 21360 & 144240 \\ -1984 & -7936 & -11904 & -7936 \end{pmatrix},$$

$$(93) \quad A_1 T_{4,-1} B_3 T_{4,-1} = -B_1 T_{4,-1} D_3 T_{4,-1} =$$

$$\begin{pmatrix} 8788 & 0 & 0 & 0 \\ -5972 & 0 & 0 & 0 \\ 3560 & 0 & 0 & 0 \\ -1984 & 0 & 0 & 0 \end{pmatrix},$$

$$(94) \quad C_1 T_{4,-1} A_3 T_{4,-1} = -D_1 T_{4,-1} C_3 T_{4,-1} =$$

$$\begin{pmatrix} 956 & 3824 & 5736 & 3824 \\ -368 & -1472 & -2208 & -1472 \\ 112 & 448 & 672 & 448 \\ -80 & -320 & -480 & -320 \end{pmatrix},$$

$$(95) \quad C_1 T_{4,-1} B_3 T_{4,-1} = -D_1 T_{4,-1} D_3 T_{4,-1} =$$

$$\begin{pmatrix} 956 & 0 & 0 & 0 \\ -368 & 0 & 0 & 0 \\ 112 & 0 & 0 & 0 \\ -80 & 0 & 0 & 0 \end{pmatrix},$$

it follows that

$$(96) \quad V_2^{\sim*}(1) T_{8,-1} V_2^{\sim*}(3) = 0E_8.$$

Since

$$(97) \quad A_2 T_{4,-1} A_0 T_{4,-1} = -B_2 T_{4,-1} C_0 T_{4,-1} =$$

$$\begin{pmatrix} 20745 & 37692 & -20917 & -55568 \\ -13164 & -23913 & 13288 & 35273 \\ 7731 & 14040 & -7815 & -20724 \\ -4080 & -7407 & 4132 & 10943 \end{pmatrix},$$

$$(98) \quad A_2 T_{4,-1} B_0 T_{4,-1} = -B_2 T_{4,-1} D_0 T_{4,-1} =$$

$$\begin{pmatrix} 14663 & 38492 & -3755 & -9880 \\ -9308 & -24431 & 2384 & 6271 \\ 5469 & 14352 & -1401 & -3684 \\ -2888 & -7577 & 740 & 1945 \end{pmatrix},$$

$$(99) \quad C_2 T_{4,-1} A_0 T_{4,-1} = -D_2 T_{4,-1} C_0 T_{4,-1} =$$

$$\begin{pmatrix} 1845 & 3348 & -1873 & -4952 \\ -660 & -1197 & 672 & 1773 \\ 159 & 288 & -163 & -428 \\ 24 & 45 & -20 & -61 \end{pmatrix},$$

$$(100) \quad C_2 T_{4,-1} B_0 T_{4,-1} = -D_2 T_{4,-1} D_0 T_{4,-1} =$$

$$\begin{pmatrix} 1307 & 3428 & -335 & -880 \\ -468 & -1227 & 120 & 315 \\ 113 & 296 & -29 & -76 \\ 16 & 43 & -5 & -11 \end{pmatrix},$$

it follows that

$$(101) \quad V_2^{\sim*}(2) T_{8,-1} V_2^{\sim*}(0) = 0E_8.$$

Since

$$(102) \quad A_2 T_{4,-1} A_1 T_{4,-1} = -B_2 T_{4,-1} C_1 T_{4,-1} =$$

$$\begin{pmatrix} 45288 & 109622 & 15248 & -129468 \\ -28743 & -69572 & -9671 & 82176 \\ 16884 & 40866 & 5676 & -48276 \\ -8913 & -21572 & -2993 & 25488 \end{pmatrix},$$

$$(103) \quad A_2 T_{4,-1} B_1 T_{4,-1} = -B_2 T_{4,-1} D_1 T_{4,-1} =$$

$$\begin{pmatrix} -62992 & 47030 & 29640 & 0 \\ 39979 & -29852 & -18813 & 0 \\ -23484 & -17538 & 11052 & 0 \\ 12397 & -9260 & -5835 & 0 \end{pmatrix},$$

$$(104) \quad C_2 T_{4,-1} A_1 T_{4,-1} = -D_2 T_{4,-1} C_1 T_{4,-1} =$$

$$\begin{pmatrix} 4032 & 9858 & 1352 & -11532 \\ -1143 & -3492 & -483 & 4128 \\ 348 & 842 & 116 & -996 \\ 51 & 124 & 19 & -144 \end{pmatrix},$$

$$(105) \quad C_2 T_{4,-1} B_1 T_{4,-1} = -D_2 T_{4,-1} D_1 T_{4,-1} =$$

$$\begin{pmatrix} -5608 & 4190 & 2640 & 0 \\ 2007 & 1500 & -945 & 0 \\ -484 & 362 & 228 & 0 \\ -71 & 52 & 33 & 0 \end{pmatrix},$$

it follows that

$$(106) \quad V_2^{\sim*}(2) T_{8,-1} V_2^{\sim*}(1) = 0E_8.$$

Since

$$(107) \quad A_2 T_{4,-1} A_2 T_{4,-1} = -B_2 T_{4,-1} C_2 T_{4,-1} =$$

$$\begin{pmatrix} 35765 & 113420 & 96030 & -34780 \\ -22700 & -71987 & -60948 & 22078 \\ 13335 & 42288 & 35802 & -12972 \\ -7040 & -22325 & -18900 & 6850 \end{pmatrix},$$

$$(108) \quad A_2 T_{4,-1} B_2 T_{4,-1} = -B_2 T_{4,-1} D_2 T_{4,-1} =$$

$$\begin{pmatrix} -82795 & -29640 & 0 & 0 \\ 52552 & 18813 & 0 & 0 \\ -30873 & -11052 & 0 & 0 \\ 16300 & 5835 & 0 & 0 \end{pmatrix},$$

$$(109) \quad C_2 T_{4,-1} A_2 T_{4,-1} = -D_2 T_{4,-1} C_2 T_{4,-1} =$$

$$\begin{pmatrix} 3185 & 10100 & 8550 & -3100 \\ -1140 & -3615 & -3060 & 1110 \\ 275 & 872 & 738 & -268 \\ 40 & 127 & 108 & -38 \end{pmatrix},$$

$$(110) \quad C_2 T_{4,-1} B_2 T_{4,-1} = -D_2 T_{4,-1} D_2 T_{4,-1} =$$

$$\begin{pmatrix} -7375 & -2640 & 0 & 0 \\ 2640 & 945 & 0 & 0 \\ -637 & -228 & 0 & 0 \\ -92 & -33 & -240 & 0 \end{pmatrix},$$

it follows that

$$(111) \quad V_2^{\sim *}(2) T_{8,-1} V_2^{\sim *}(2) = 0E_8.$$

Since

$$(112) \quad A_2 T_{4,-1} A_3 T_{4,-1} = -B_2 T_{4,-1} C_3 T_{4,-1} =$$

$$\begin{pmatrix} 9880 & 39520 & 59280 & 39520 \\ -6271 & -25084 & -37626 & -25084 \\ 3684 & 14736 & 22104 & 14736 \\ -1945 & -7780 & -11670 & -7780 \end{pmatrix},$$

$$(113) \quad A_2 T_{4,-1} B_3 T_{4,-1} = -B_2 T_{4,-1} D_3 T_{4,-1} =$$

$$\begin{pmatrix} 9880 & 0 & 0 & 0 \\ -6271 & 0 & 0 & 0 \\ 3684 & 0 & 0 & 0 \\ -1945 & 5835 & 0 & 0 \end{pmatrix},$$

$$(114) \quad C_2 T_{4,-1} A_3 T_{4,-1} = -D_2 T_{4,-1} C_3 T_{4,-1} =$$

$$\begin{pmatrix} 880 & 3520 & 5280 & 3520 \\ -315 & -1260 & -1890 & -1260 \\ 76 & 304 & 456 & 304 \\ 11 & 44 & 66 & 44 \end{pmatrix},$$

$$(115) \quad C_2 T_{4,-1} B_3 T_{4,-1} = -D_2 T_{4,-1} D_3 T_{4,-1} =$$

$$\begin{pmatrix} 880 & 0 & 0 & 0 \\ -315 & 0 & 0 & 0 \\ 76 & 0 & 0 & 0 \\ 11 & 0 & -240 & 0 \end{pmatrix},$$

it follows that

$$(116) \quad V_2^{\sim*}(2) T_{8,-1} V_2^{\sim*}(3) = 0E_8.$$

Since

$$(117) \quad A_3 T_{4,-1} A_0 T_{4,-1} = -B_3 T_{4,-1} C_0 T_{4,-1} =$$

$$\begin{pmatrix} -2856 & -5355 & 2380 & 7259 \\ 1824 & 3420 & -1520 & -4636 \\ -1080 & -2025 & 900 & 2745 \\ 576 & 1080 & -480 & -1464 \end{pmatrix},$$

$$(118) \quad A_3 T_{4,-1} B_0 T_{4,-1} = -B_3 T_{4,-1} D_0 T_{4,-1} =$$

$$\begin{pmatrix} -1904 & -5117 & 476 & 1309 \\ 1216 & 3268 & -304 & -836 \\ -720 & -1935 & 180 & 495 \\ 384 & 1032 & -96 & -264 \end{pmatrix},$$

$$(119) \quad C_3 T_{4,-1} A_0 T_{4,-1} = -D_3 T_{4,-1} C_0 T_{4,-1} =$$

$$\begin{pmatrix} -264 & -495 & 220 & 671 \\ 96 & 180 & -80 & -244 \\ -24 & -45 & 20 & 61 \\ 0 & 0 & 0 & 0 \end{pmatrix},$$

$$(120) \quad C_3 T_{4,-1} B_0 T_{4,-1} = -D_3 T_{4,-1} D_0 T_{4,-1} =$$

$$\begin{pmatrix} -176 & -473 & 44 & 121 \\ 644 & 172 & -16 & -44 \\ -16 & -43 & 4 & 11 \\ 0 & 0 & 0 & 0 \end{pmatrix},$$

it follows that

$$(121) \quad V_3^{\sim*}(3)T_{8,-1}V_2^{\sim*}(0) = 0E_8.$$

Since

$$(122) \quad A_3T_{4,-1}A_1T_{4,-1} = -B_3T_{4,-1}C_1T_{4,-1} =$$

$$\begin{pmatrix} -6069 & -14756 & -2261 & 17136 \\ 3876 & 9424 & 1444 & -10944 \\ -2295 & -5580 & -855 & 6480 \\ 1224 & 2976 & 456 & -3456 \end{pmatrix},$$

$$(123) \quad A_3T_{4,-1}B_1T_{4,-1} = -B_3T_{4,-1}D_1T_{4,-1} =$$

$$\begin{pmatrix} 8449 & -6188 & -3927 & 0 \\ -5396 & 3952 & 2508 & 0 \\ 3195 & -2340 & -1485 & 0 \\ -1704 & 1248 & 792 & 0 \end{pmatrix},$$

$$(124) \quad C_3T_{4,-1}A_1T_{4,-1} - D_3T_{4,-1}C_1T_{4,-1} =$$

$$\begin{pmatrix} -561 & -1364 & -209 & 1584 \\ 204 & 496 & 76 & -576 \\ -51 & -124 & -19 & 144 \\ 0 & 0 & 0 & 0 \end{pmatrix},$$

$$(125) \quad C_3T_{4,-1}B_1T_{4,-1} = -D_3T_{4,-1}D_1T_{4,-1} =$$

$$\begin{pmatrix} 781 & -572 & -363 & 0 \\ -284 & -208 & 132 & 0 \\ 71 & -52 & -33 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix},$$

it follows that

$$(126) \quad V_3^{\sim*}(3)T_{8,-1}V_2^{\sim*}(1) = 0E_8.$$

Since

$$(127) \quad A_3T_{4,-1}A_2T_{4,-1} = -B_3T_{4,-1}C_2T_{4,-1} =$$

$$\begin{pmatrix} -4760 & -155113 & -12852 & 4522 \\ 3040 & 9652 & 8208 & -2888 \\ -1800 & -5715 & -4860 & 1710 \\ 960 & 3048 & 2592 & -912 \end{pmatrix},$$

$$(128) \quad A_3 T_{4,-1} B_2 T_{4,-1} = -B_3 T_{4,-1} D_2 T_{4,-1} =$$

$$\begin{pmatrix} 10948 & 3927 & 0 & 0 \\ -6992 & -2508 & 0 & 0 \\ 4140 & 1485 & 0 & 0 \\ -2208 & -792 & 0 & 0 \end{pmatrix},$$

$$(129) \quad C_3 T_{4,-1} A_2 T_{4,-1} - D_3 T_{4,-1} C_2 T_{4,-1} =$$

$$\begin{pmatrix} -440 & -1397 & -1188 & 418 \\ 160 & 508 & 432 & -152 \\ -40 & -127 & -108 & 38 \\ 0 & 0 & 0 & 0 \end{pmatrix},$$

$$(130) \quad C_3 T_{4,-1} B_2 T_{4,-1} = -D_3 T_{4,-1} D_2 T_{4,-1} =$$

$$\begin{pmatrix} 10121 & 363 & 0 & 0 \\ -368 & -132 & 0 & 0 \\ 92 & 33 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix},$$

it follows that

$$(131) \quad V_3^{\sim*}(3) T_{8,-1} V_2^{\sim*}(2) = 0E_8.$$

Since

$$(132) \quad A_3 T_{4,-1} A_3 T_{4,-1} = -B_3 T_{4,-1} C_3 T_{4,-1} =$$

$$\begin{pmatrix} -1309 & -5236 & -7854 & -5236 \\ 836 & 3344 & 5016 & 3344 \\ -495 & -1980 & -2970 & -1980 \\ 264 & 1056 & 1584 & 1056 \end{pmatrix},$$

$$(133) \quad A_3 T_{4,-1} B_3 T_{4,-1} = -B_3 T_{4,-1} D_3 T_{4,-1} =$$

$$\begin{pmatrix} -1309 & 0 & 0 & 0 \\ 836 & 0 & 0 & 0 \\ -495 & 0 & 0 & 0 \\ 264 & 0 & 0 & 0 \end{pmatrix},$$

$$(134) \quad C_3 T_{4,-1} A_3 T_{4,-1} - D_3 T_{4,-1} C_3 T_{4,-1} =$$

$$\begin{pmatrix} -121 & -484 & -726 & -484 \\ 44 & 176 & 264 & 176 \\ -11 & -44 & -66 & -44 \\ 0 & 0 & 0 & 0 \end{pmatrix},$$

$$(135) \quad C_3 T_{4,-1} B_3 T_{4,-1} = -D_3 T_{4,-1} D_3 T_{4,-1} =$$

$$\begin{pmatrix} -121 & 0 & 0 & 0 \\ 44 & 0 & 0 & 0 \\ -11 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix},$$

it follows that

$$(136) \quad V_3^{\sim*}(3) T_{8,-1} V_3^{\sim*}(3) = 0E_8.$$

So, we see that

$$(137) \quad V_i^{\sim*}(3) T_{8,-1} V_k^{\sim*}(3) = 0E_8$$

for $\{i, k\} \subset \{0, 1, 2, 3, 4\}$. Therefore (17) holds for $l = 2$. So the equalities (16) – (18) hold for $l=2$, and we had made full test of the equality $A_2(z, \nu)A_2(z, -\nu) = -\nu^{14}E_4$. The equality (18) substantiates the test, which was made for the equality $A_2(z, \nu)A_2(z, -\nu) = -\nu^{14}E_4$ in the Part 3 and in the section 4.3.

Arithmetical applications will be given in the next parts.

§3.2. Corrections to the previous parts of this paper.

The equalities (5), (6) in Part 3 should be replaced by the equalities (5), (6) in this part respectively. On the page 4, line 3 after equality (15) should be

$$H_l^*(k) = R_l^*(k) - V_l^*(k),$$

instead of

$$H_l^*(k) = R_l^{\vee}(k) - V_l^*(k),$$

In Part 3 on page 14 the equality

$$V_2^*(9) = \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 608 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -832 & 608 & 0 & 0 & 0 & 0 & 0 & 0 \\ 320 & -992 & -160 & 0 & 0 & 0 & 0 & 0 \\ -32 & 384 & -96 & -160 & 0 & 0 & 0 & 0 \\ 0 & -32 & 96 & 128 & 32 & 0 & 0 & 0 \\ 0 & 0 & 0 & 32 & 64 & 32 & 0 & 0 \end{pmatrix}$$

must stand, instead of

$$V_2^*(9) = \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 00 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 608 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -832 & 608 & 0 & 0 & 0 & 0 & 0 & 0 \\ 320 & -992 & 160 & 0 & 0 & 0 & 0 & 0 \\ -32 & 384 & -96 & -160 & 0 & 0 & 0 & 0 \\ 0 & -32 & 96 & 128 & 32 & 0 & 0 & 0 \\ 0 & 0 & 0 & 32 & 64 & 32 & 0 & 0 \end{pmatrix};$$

the equality

$$V_2^*(10) = \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -360 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 408 & -360 & 0 & 0 & 0 & 0 & 0 & 0 \\ -120 & 400 & -8 & 0 & 0 & 0 & 0 & 0 \\ 8 & -104 & 8 & -8 & 0 & 0 & 0 & 0 \\ 0 & 0 & -48 & -96 & -56 & 0 & 0 & 0 \end{pmatrix},$$

must stand, instead of

$$V_2^*(10) = \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -360 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 408 & -360 & 0 & 0 & 0 & 0 & 0 & 0 \\ -120 & 400 & -8 & 0 & 0 & 0 & 0 & 0 \\ 8 & -104 & 8 & -80 & 0 & 0 & 0 & 0 \\ 0 & 0 & -48 & -96 & -56 & 0 & 0 & 0 \end{pmatrix},$$

the equality

$$V_2^*(11) = \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 192 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -160 & 192 & 0 & 0 & 0 & 0 & 0 & 0 \\ 32 & -96 & 64 & 0 & 0 & 0 & 0 & 0 \\ 0 & 32 & 64 & 64 & 0 & 0 & 0 & 0 \end{pmatrix},$$

must stand, instead of

$$V_2^*(11) = \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 192 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -160 & 192 & 0 & 0 & 0 & 0 & 0 & 0 \\ 32 & -9664 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 32 & 64 & 64 & 0 & 0 & 0 & 0 \end{pmatrix};$$

the equality

$$V_2^*(12) = \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -88 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 40 & -88 & 0 & 0 & 0 & 0 & 0 & 0 \\ -8 & -16 & -56 & 0 & 0 & 0 & 0 & 0 \end{pmatrix},$$

must stand, instead of

$$V_2^*(12) = \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 40 & -88 & 0 & 0 & 0 & 0 & 0 & 0 \\ -8 & -16 & -56 & 0 & 0 & 0 & 0 & 0 \end{pmatrix}.$$

In Part 3 the relation

$$V_l^*(3 + 2l + \kappa) \in \mathfrak{R}_{4+2l}(N^\wedge)^\kappa \cap (N^\wedge)^\kappa \mathfrak{R}_{4+2l}$$

for $l = 0, 1, 2, \kappa = 0, \dots, 3 + 2l$. must stand, instead of relations (58) – (59), and the equality

$$V_0^*(3) = \begin{pmatrix} 16 & 0 & 0 & 0 \\ -8 & 16 & 0 & 0 \\ 0 & -8 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix},$$

must stand, instead of the equality

$$V_0^*(3) = \begin{pmatrix} 16 & 0 & 0 & 0 \\ -8 & 16 & 0 & 0 \\ 0 & -8 & 0 & 0 \\ 8 & 0 & 0 & 0 \end{pmatrix}.$$

References.

- [1] R.Apéry, Interpolation des fractions continues
et irrationalité de certaines constantes,
Bulletin de la section des sciences du C.T.H., 1981, No 3, 37 – 53;
- [1] L.A.Gutnik, On some systems of difference equations. Part 1.
Max-Plank-Institut für Mathematik, Bonn,
Preprint Series, 2006, 23, 1 – 37.
- [2] —————, On some systems of difference equations. Part 2.
Max-Plank-Institut für Mathematik, Bonn,
Preprint Series, 2006, 49, 1 – 31.
- [3] —————, On some systems of difference equations. Part 3.
Max-Plank-Institut für Mathematik, Bonn,
Preprint Series, 2006, 91, 1 – 52.

E-mail: gutnik@gutnik.mccme.ru